




Hinged Door Strike Solutions

APL



Designed for APL aluminium joinery, Schlage strikes provide a seamless fit and allow fabricators to easily optimise door latching and weather-seal compression. Engineered to fully engage the critical features of each locking platform as intended, the range is compatible with the most popular Schlage locks and aluminium frame profiles.

Features

- Strike solutions for APL's ThermalHeart+[®] range of thermally broken aluminium joinery.
- Strike solutions for APL's Metro Series of non-thermally broken aluminium joinery.
- Strikes can be configured to pair with residential mortice locks.


Allegion warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty

Specifications


Frame type	Aluminium
Strike material	ADSAPL-THH and ADSAPL-NTF: Aluminium ADSAPL-NTH-R (RH) and ADSAPL-NTH-L (LH): ABS Plastic (Base) and 304 SS (Strike plate)
Fixings	Not included

Frame designs	Item codes
Thermally broken hinge door suites	ADSAPL-THH
Non thermally broken hinge door suites	ADSAPL-NTH-R (RH) and ADSAPL-NTH-L (LH)
Non thermally broken french door suites	ADSAPL-NTF

Lockset	Frame Jamb	Item Number
	ThermalHeart+ hinged door suites	ADSAPL-THH
	Metro Series non-thermally broken hinged door - right hand	ADSAPL-NTH-R
	Metro Series non-thermally broken hinged door - left hand	ADSAPL-NTH-L
	Metro Series non-thermally broken french door	ADSAPL-NTF


	ThermalHeart+ hinged door suites	ADSAPL-THH
	Metro Series non-thermally broken hinged door - right hand	ADSAPL-NTH-R
	Metro Series non-thermally broken hinged door - left hand	ADSAPL-NTH-L
	Metro Series non-thermally broken french door	ADSAPL-NTF

Horizontal adjustability: 1-2mm
Vertical clearance with latch: 5mm
Vertical clearance with dead bolt: >5mm


Lockset	Frame Jamb	Item Number
	ThermalHeart+ hinged door suites	ADSAPL-THH
	Metro Series non-thermally broken hinged door - right hand	ADSAPL-NTH-R
	Metro Series non-thermally broken hinged door - left hand	ADSAPL-NTH-L
	Metro Series non-thermally broken french door	ADSAPL-NTF

Horizontal adjustability: 1-2mm
Vertical adjustability: 4mm

Strike for ThermalHeart+ Thermally Broken Hinged Door Suites
ADSAPL-THH



Strike for Metro Series Non-Thermally Broken Hinged Door Suites
ADSAPL-NTH-R (RH)
ADSAPL-NTH-L (LH)



Strike for Metro Series Non-Thermally Broken French Door Suites
ADSAPL-NTF

