SCHLAGE

Trust your home to Schlage.

Trusted solutions for tomorrow's homes.

For more than a century,
Schlage has helped protect
what matters most
– peace of mind.
Credit: Dennis Radermacher - Lightforge

SCHLAGE
Trust your home to Schlage.

Contents

SMART ENTRANCE HARDWARE

Schlage Encode™ Smart Wi-Fi Deadbolt 5
Schlage Ascent Smart Locks 6
Schlage Artus Narrow Profile Smart Locks 7
Schlage Resolute Smart Mortice Lock 8

ENTRANCE HARDWARE

Schlage Pull Handles 11
Schlage Mini Levers, Turns and Cylinder Escutcheons 12
Schlage Entrance Sets 13
Schlage Deadbolts 14

ALUMINIUM JOINERY HARDWARE

Schlage Verta™ Series 17-18
Schlage Virtus Mortice Locks 19
Schlage Virtus Euro Cylinders 20
Schlage Bi-Fold Lock 20
Schlage Stella™ Sliding Door Locks 21
Schlage Window Fasteners 22
Schlage Restrictor Stays 22
Schlage Flush Bolts 22

LEVERS AND KNOBS

Schlage Form Series 25
Schlage Medio Series 26
Schlage Medio Plus Series 27
Schlage F Series 28
Schlage Element Series 29
Schlage Regent Series 30
Schlage Knobs 32

GENERAL HARDWARE

Schlage Wall Mounted Door Stops 35
Schlage Floor Mounted Door Stops 36
Schlage Cavity Sliding and Flush Pulls 37
Schlage and Legge General Hardware 38

GLOSSARY AND GUIDES 41

FINISH SWATCHES AND SERVICES 42

INDEX 43-44

100 YEARS SCHLAGE

Cover Image Credit: Mark Scowen Photography

Credit: Dennis Radermacher - Lightforge

Smart Entrance Hardware

Schlage Encode™

SMART WI-FI DEADBOLT

ENCODE
SRE60120
B

ENCODE
SRE60121
SNP

FEATURES
- Graded best in Security, Durability and Finish (BHMA Grading System)
- Built-in Wi-Fi for remote access and control
- Fingerprint resistant illuminated touch screen
- Easy setup and programming via Schlage Home app
- Firmware updates via app for future compatibility
- Built-in alarm
- Low battery notifications, with weeks of advance warnings
- Auto locking
- Schlage C5 cylinder

ACCESS
- Access by keypad, Schlage Home app, back-up key, or virtual assistants
- 100 PIN code capacity
- User codes can be set up as permanent, temporary or recurring access via the app
- Works with Amazon Alexa and Google Assistant

TECHNICAL SPECIFICATIONS
- 54mm hole preparation - easy to retrofit
- 60mm or 70mm backset (adjustable)
- 35mm to 46mm door thickness
- Extension kit available for 47mm to 64mm
- 4 x AA alkaline batteries included
- 2.4 GHz Wi-Fi technology

WARRANTY
- Limited lifetime mechanical warranty
- 3 years electronic warranty
- For finish warranties refer to our website

Visit **schlage.co.nz/encode** or scan the QR code for more information.

Schlage **Ascent**

SMART LOCKS

SMART ENTRANCE LEVER
SREASC02B — B

SREASC02G — G

SMART DEADBOLT
SREASC01B — B

SREASC01G — G

SMART LEVER (INTERNAL USE ONLY)
SREASC03B — B

SREASC03G — G

FEATURES
- Easy setup and programming via Schlage Breeze app
- Firmware updates via app for future compatibility
- Passage and auto-locking modes available in app
- Built-in alarm
- Low battery notifications, with weeks of advance warnings
- Random PIN number function protects your entry code
- Weather resistant construction (Entrance Lever and Deadbolt)
- Aluminium alloy construction
- Schlage C5 cylinder (Entrance Lever and Deadbolt only)

ACCESS
- Access via fingerprint, keypad, keytags (x3), Schlage Breeze app, back-up key or virtual assistants
- 150 fingerprint capacity
- 150 PIN code capacity
- 150 key tag capacity
- User codes can be set up as permanent, temporary or recurring access via the app
- Remote access available with Schlage Wi-Fi Bridge BZ100 (sold separately)
- Works with Amazon Alexa and Google Assistant

TECHNICAL SPECIFICATIONS
- 54mm hole preparation - easy to retrofit
- 60mm or 70mm backset (adjustable)
- 32mm to 55mm door thickness
- 32mm to 50mm door thickness (Smart Lever)
- Entrance Lever and Deadbolt: 4 x AA alkaline batteries included
- Smart lever: 4 x AAA alkaline batteries included

WARRANTY
- 2 years mechanical and electronic warranty
- Limited lifetime mechanical warranty
- For finish warranties refer to our website

Visit **schlage.co.nz/ascent** or scan the QR code for more information.

WORKS WITH SCHLAGE BREEZE | works with alexa | works with Hey Google

OPTIONAL ACCESSORIES

SCHLAGE WI-FI BRIDGE BZ100	SCEBRZGW
ADDITIONAL KEY TAGS	SRETAG

Finishes: Refer to page 42 for finish types

Schlage **Artus**

NARROW PROFILE SMART LOCKS

ARTUS HINGED DOOR

B

FURNITURE ONLY: SREARTMB

WITH MORTICE LOCK: 30MM: SREART30MB
40MM: SREART40MB 60MM: SREART60MB

WITH MULTIPOINT LOCK:
40MM: SREART4PTER-40MB 60MM: SREART4PTER-60MB

ARTUS HINGED DOOR

SNP

FURNITURE ONLY: SREARTSNP

WITH MORTICE LOCK: 30MM: SREART30SNP
40MM: SREART40SNP 60MM: SREART60SNP

WITH MULTIPOINT LOCK:
40MM: SREART4PTER-40SNP 60MM: SREART4PTER-60SNP

ARTUS SLIDING DOOR SET

B

INCLUDES MORTICE LOCK:
40MM: SREARTSLD40MB

FEATURES

- Easy setup and programming via Schlage Breeze app
- Firmware updates via app for future compatibility
- Passage and auto-locking modes available in app
- Built-in alarm
- Low battery notifications, with weeks of advance warnings
- Random PIN number function protects your entry code
- Weather resistant (tested to IP66)
- Made from 304 grade Stainless Steel
- Disability compliant lever (hinged door)

ACCESS

- Access via keypad, keytags (x3), Schlage Breeze app, back-up key or virtual assistants
- 150 PIN code capacity
- 200 key tag capacity
- User codes can be set up as permanent, temporary or recurring access via the app
- Remote access available with Schlage Wi-Fi Bridge BZ100 (sold separately)
- Works with Amazon Alexa and Google Assistant

TECHNICAL SPECIFICATIONS

- 30mm, 40mm or 60mm backset options (hinged)
- 40mm backset (sliding)
- 35mm to 60mm door thickness
- 4 x AA alkaline batteries included

WARRANTY

- 2 years mechanical and electronic warranty
- For finish warranties refer to our website

Visit **schlage.co.nz/artus** or scan the QR code for more information.

WORKS WITH SCHLAGE BREEZE

works with alexa

works with Hey Google

OPTIONAL ACCESSORIES

SCHLAGE WI-FI BRIDGE BZ100	SCEBRZGW
ADDITIONAL KEY TAGS	SRETAG

OPTIONAL ACCESSORY

Schlage **Wi-Fi Bridge** (BZ100)

The Schlage Wi-Fi Bridge pairs your Schlage smart lock to your home Wi-Fi. It provides you remote access to your lock through the Schlage Breeze mobile app.

With the Schlage Wi-Fi Bridge, wherever you are;

- Receive lock notifications on your smartphone
- Get an alert if someone tampers with your lock
- Manage user access

Optional accessory for
Schlage Ascent, Schlage Artus and Schlage Resolute

SCHLAGE WI-FI BRIDGE

W

SCEBRZGW

* Schlage Wi-Fi Bridge (BZ100) is sold separately.

Schlage **Resolute**

SMART MORTICE LOCK

RESOLUTE
FURNITURE ONLY: SRERESMB
WITH MORTICE LOCK: 60MM: SRERES60MB
WITH MULTIPOINT LOCK: 60MM: SRERES4PTER-60MB

B

RESOLUTE
FURNITURE ONLY: SRERESSE
WITH MORTICE LOCK: 60MM: SRERES60SE
WITH MULTIPOINT LOCK: 60MM: SRERES4PTER-60SE

SE

FEATURES
- Easy setup and programming via Schlage Breeze app
- Firmware updates via app for future compatibility
- Auto-locking passage mode and privacy toggle
- Built-in alarm
- Low battery notifications, with weeks of advance warnings
- Random PIN number function protects your entry code
- Weather resistant (tested to IP66)
- Made from 304 grade Stainless Steel

ACCESS
- Access via keypad, keytags (x3), Schlage Breeze app, back-up key or virtual assistants
- 150 PIN code capacity
- 200 key tag capacity
- User codes can be set up as permanent, temporary or recurring access via the app
- Remote access available with Schlage Wi-Fi Bridge BZ100 (sold separately)
- Works with Amazon Alexa and Google Assistant

TECHNICAL SPECIFICATIONS
- 60mm backset (or 70mm retrofit options available)
- 35mm to 70mm door thickness
- 4 x AA alkaline batteries included

WARRANTY
- 2 years mechanical and electronic warranty
- For finish warranties refer to our website

Visit **schlage.co.nz/resolute** or scan the QR code for more information.

WORKS WITH SCHLAGE BREEZE | works with alexa | works with Hey Google

OPTIONAL ACCESSORIES

SCHLAGE WI-FI BRIDGE BZ100	SCEBRZGW
ADDITIONAL KEY TAGS	SRETAG

Schlage **Multipoint Locking**

By pairing the Schlage Artus or Schlage Resolute with our Schlage Virtus-E mechanical lock and rod kit, you instantly upgrade your entrance door to a robust four-point locking system.

This mechanical integration transforms a standard smart lock into an enhanced locking solution:

- Engineered to provide a superior weather seal
- Maximum protection against forced entry
- Designed for effortless, user-friendly operation

For product codes refer to Multipoint Lock skus for Schlage Artus (hinged door) and Schlage Resolute

Credit: Dennis Radermacher - Lightforge

Entrance Hardware

Schlage **Pull Handles**

ANDOR

MB PVD-B SSS

Fixing Centres (mm)	300/400/600/800
Lengths (mm)	325/425/625/825
Dimension (mm)	25X25

TRENTO

MB PVD-B SSS

Fixing Centres (mm)	450/600/800/1000
Lengths (mm)	470/620/820/1020
Dimension (mm)	40X20

DEGO

MB PVD-B SSS

Fixing Centres (mm)	300/450/600/800/1000
Lengths (mm)	325/475/625/825/1025
Dimension (mm)	25X25

TURIN

MB PVD-B SSS

Fixing Centres (mm)	450/600
Lengths (mm)	600/800
Dimension (mm)	25X25

SILVI

MB PVD-B SSS

Fixing Centres (mm)	300/450/600/800/1000
Lengths (mm)	332/482/632/832/1032
Dimension (mm)	Ø32

CAPRI

MB PVD-B SSS

Fixing Centres (mm)	300/450/600/800
Lengths (mm)	332/482/632/832
Dimension (mm)	Ø32

VERONA

MB PVD-B SSS

Fixing Centres (mm)	300/450/600/800/1000
Lengths (mm)	380/530/680/880/1080
Dimension (mm)	Ø32

CORFU

MB PVD-B SSS

Fixing Centres (mm)	250/400/600/800/1000
Lengths (mm)	450/600/800/1000/1200
Dimension (mm)	Ø32

TECHNICAL SPECIFICATIONS
- 316 Marine grade stainless steel
- High quality physical vapour deposition black PVD-B) finish option
- Supplied for back to back fixing (single kit fixings sold separately)
- Some designs/sizes are available on indent order, minimum order quantities may apply
- Sold in pairs
- Refer page 43 for product codes

Door thickness
- Timber, glass or metal

Door thickness
- Timber or aluminium 32mm to 70mm
- Timber or aluminium 32mm to 55mm (Verona)
- Glass 10mm to 15mm

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **Mini Levers, Turns and Cylinder Escutcheons**

MINI LEVER SQUARE

MB PVD-B SSS

MB	S316-MLS-MB
PVD-B	S316-MLS-PVDB
SSS	S316-MLS-SSS

MINI LEVER ROUND

MB PVD-B SSS

MB	S316-MLR-MB
PVD-B	S316-MLR-PVDB
SSS	S316-MLR-SSS

TURN SQUARE

MB PVD-B SSS

MB	S316-TS-MB
PVD-B	S316-TS-PVDB
SSS	S316-TS-SSS

TURN ROUND

MB PVD-B SSS

MB	S316-TR-MB
PVD-B	S316-TR-PVDB
SSS	S316-TR-SSS

EURO CYLINDER ECSUTCHEON SQUARE

MB PVD-B SSS

MB	S316-CES-MB
PVD-B	S316-CES-PVDB
SSS	S316-CES-SSS

EURO CYLINDER ECSUTCHEON ROUND

MB PVD-B SSS

MB	S316-CER-MB
PVD-B	S316-CER-PVDB
SSS	S316-CER-SSS

TECHNICAL SPECIFICATIONS
- 316 solid stainless steel
- 35mm to 60mm door thickness
- Sold in sets for internal and external facing
- Integrates seamlessly with Schlage Virtus two point or four point mortice lock and Schlage cylinder escutcheons
- Supplied with fixings for timber and aluminium doors
- Refer to Schlage Virtus Euro Cylinders on page 20 for locking hardware, or the Schlage Front Door Solutions brochure for entrance kit suggestions

Backset
- 60mm Schlage Virtus mortice lock

Door thickness
- 35mm to 60mm

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Schlage **Entrance Sets**

F SERIES CENTURY ENTRANCE SET WITH

ORBIT KNOB — SCP
SINGLE CYLINDER AND TURN: SRL14214
DOUBLE CYLINDER: SRL14217

PLYMOUTH KNOBS — SCP
SINGLE CYLINDER AND TURN: SRL14215
DOUBLE CYLINDER: SRL14218

LATTITUDE LEVER — SCP MB SNP
DOUBLE CYLINDER (SCP): SRL32341
GRIPSET WITHOUT DEADBOLT (MB): SRL32205
GRIPSET WITHOUT DEADBOLT (SNP): SRL32206

F SERIES PLYMOUTH ENTRANCE SET WITH

ACCENT LEVER — SNP
SINGLE CYLINDER AND TURN: SRL14224
DOUBLE CYLINDER: SRL14225

PLYMOUTH KNOBS — PB SCP
SINGLE CYLINDER AND TURN (PB): SRL14226
DOUBLE CYLINDER (PB): SRL14227
DOUBLE CYLINDER (SCP): SRL14294

F SERIES ADDISON ENTRANCE SET WITH ACCENT LEVER — SNP
SINGLE CYLINDER AND TURN: SRL14228

F SERIES CAMELOT ENTRANCE SET WITH GEORGIAN KNOB — AB
SINGLE CYLINDER AND TURN: SRL14222
DOUBLE CYLINDER: SRL14223

REGENT SERIES BOSTON ENTRANCE SET WITH DENVER KNOB — SCP
SINGLE CYLINDER AND TURN: RBENTGSS

REGENT SERIES MONACO ENTRANCE SET WITH DENVER KNOB — SCP
SINGLE CYLINDER AND TURN: RMENTGSS

TECHNICAL SPECIFICATIONS (F SERIES)
- ANSI/BHMA certified. Graded best in security, durability and finish (AAA)
- Can be keyed alike to other Schlage locksets

TECHNICAL SPECIFICATIONS (REGENT)
- Can be keyed alike to other Schlage locksets
- Concealed through-fixing
- Triple option square, radius and drive-in latch
- ANSI/BHMA Grade 3 performance

Door preparation
- 54mm

Backset
- 60 or 70mm adjustable latches and deadbolts

Door thickness
- 41mm to 51mm (F Series)
- 35mm - 50mm (Regent)

Cylinder
- Schlage C5

FUNCTIONS
- Double cylinder (key/key)
- Single cylinder (key/turn)

WARRANTY
- Lifetime mechanical warranty (F Series)
- 10 year mechanical warranty (Regent)
- For finish warranties please refer to our website

Schlage **Deadbolts**

SQUARE DEADBOLT

MB SCP SNP

SINGLE CYLINDER AND TURN

MB	SRL4SSMB
SCP	SRL4SSSC
SNP	SRL4SSSN

ROUND DEADBOLT

G MB PB SCP **SNP**

SINGLE CYLINDER AND TURN		DOUBLE CYLINDER
G	SRL4RSG	SRL4RDG
MB	SRL4RSMB	SRL4RDMB
PB	SRL4RSPB	SRL4RDPB
SCP	SRL4RSSC	SRL4RDSC
SNP	SRL4RSSN	SRL4RDSN

REGENT BOSTON

SCP

SINGLE CYLINDER AND TURN		DOUBLE CYLINDER
SCP	RBBOLTS	RBBOLTDS

REGENT DENVER

CP PB **SCP** SNP SSS

SINGLE CYLINDER AND TURN		DOUBLE CYLINDER
CP	RDBOLTSC	RDBOLTDC
PB	RDBOLTSP	RDBOLTDP
SCP	RDBOLTSSCP	RDBOLTDSCP
SNP	RDBOLTSSNP	RDBOLTDSNP
SSS	RDBOLTS	RDBOLTDS

B SERIES DEADBOLT

PB SCP **SNP**

SINGLE CYLINDER AND TURN		DOUBLE CYLINDER
PB	SRL14204	SRL14207
SCP	SRL14206	SRL14209
SNP	SRL14205	SRL14208

TECHNICAL SPECIFICATIONS
- Can be keyed alike to other Schlage locksets
- B Series is ANSI/BHMA certified, graded best in security, durability and finish, contains anti-pick shield

Door preparation
- 54mm

Backset
- 60mm or 70mm (adjustable)
- 127mm bolt available (B Series)

Door thickness
- 35mm to 50mm (Square/Round, Regent)
- 35mm to 44mm (B Series) - extension kit available

Cylinder
- Schlage C5

FUNCTIONS
- Double cylinder (key/key)
- Single cylinder (key/turn)

WARRANTY
- Lifetime mechanical warranty (B Series)
- 10 year mechanical warranty (Square/Round, Regent)
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Credit: Dennis Radermacher - Lightforge

SCHLAGE

Aluminium Joinery Hardware

Design elevates the functional to the sublime.
Clever design is unobtrusive, yet distinct.
Beautiful design delights the senses, challenges us and inspires joy every day.

Schlage Verta™ reinvents the classic with contemporary design. Stemming from modern trends, Verta blends beautiful form with designer functionality.

Verta's design features set a new standard for innovative style. Architectural lines create surfaces that reflect light in every direction; tactile surfaces surprise and delight; lineal planes soften to curved edges.

Each element of Verta has been sourced, crafted and finished by experts. Constructed from the highest-quality, marine-grade 316 stainless steel, Verta is manufactured and finished with watch-maker precision.

Verta is an investment in style for now and the future.

Features and benefits

- Constructed from marine-grade stainless steel gives Verta strength, presence and lasting beauty
- Straight edges transition to gently rounded backs, curving into your hand and creating a soft touching point
- Enhance your home inside and out from the striking pull handle to the internal furniture
- Choose the perfect finish to match your aluminium joinery with options in Satin Stainless Steel or the striking PVD Black
- Tested to precision to endurance standards of 200,000 cycles

Schlage Verta™ Series

800MM PULL HANDLE SSS PVD-B

LONG PLATE FURNITURE SSS PVD-B

ESCUTCHEONS SSS PVD-B

PRIVACY BOLT AND TURN SSS PVD-B

INTERNAL LEVER SSS PVD-B

WINDOW FASTENERS (HIGH / LOW PROFILE) SSS PVD-B

SLIDING DOOR 300MM PULL HANDLE SSS PVD-B

EXTERNAL FLUSH PULL SSS PVD-B

BI-FOLD LEVER SSS PVD-B

TECHNICAL SPECIFICATIONS
- 316 Marine grade stainless steel
- Refer to page 44 for product codes

APPLICATIONS
- Suitable for external and internal hinged doors, sliding doors, bi-fold doors and windows
- External flush pull for aluminium windows and doors only

INTERNAL FURNITURE

Door preparation
- 25mm

Backset
- 60mm

Door thickness
- Passage 35mm to 50mm
- Privacy 35mm to 45mm

TESTING
- Cycle testing to 200,000 cycles
- Corrosion resistance achieves C9 (severe) in accordance with AS 2331.3.3

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Schlage **Virtus Mortice Locks**

VIRTUS TWO POINT MORTICE LOCK

SSS

30MM BACKSET: 2PT-30S
40MM BACKSET: 2PT-40S
60MM BACKSET: 2PT-60S

VIRTUS FOUR POINT MORTICE LOCK

SSS

30MM BACKSET: 4PT-30S
40MM BACKSET: 4PT-40S
60MM BACKSET: 4PT-60S

TECHNICAL SPECIFICATIONS

Door type
- Aluminium
- Timber

Door thickness
- Minimum 35mm (max dependent upon furniture fixings and spindle length)

Door height (Four Point)
- 2.6m with standard rod kit
- 3.6m with extension kit

Lock specifications
- When tested in accordance with AS4145.2008.2, the lockset achieves Security grade S8 and Durability grade D8

Backset
- 30mm, 40mm or 60mm

Follower to turn centre
- 85mm

COMPATIBLE HARDWARE

- Entrance kits options available for mortice lock with pull handles, cylinder, escutcheon, mini lever and turn

Entrance Furniture
- Schlage Verta long plate lever
- Schlage 316 pull handle range
- Schlage entrance mini levers
- Schlage entrance turns
- Schlage cylinder escutcheons

Cylinders
- Suits fixed cam Schlage Virtus euro cylinders

Rebate kits
- Virtus lock rebate kits to suit 44mm, 58mm and 65mm thick doors

WARRANTY

- 10 year mechanical warranty

VIRTUS SLIDING DOOR MORTICE LOCK

28MM BACKSET: SSH15000
40MM BACKSET: SSH16000

TECHNICAL SPECIFICATIONS

- Achieves S7 Security and D8 Durability to AS4145.2 2008

Door thickness
- Minimum 35mm

Backset
- 28mm or 40mm

Cylinders
- Compatible with Schlage Virtus C5 or C4 Euro Cylinders

COMPATIBLE FURNITURE

- Schlage sliding door pull handles
- Schlage flush pulls
- Schlage escutcheons and cylinders

WARRANTY

- 10 year mechanical warranty

Schlage **Virtus Euro Cylinders**



CYLINDER AND TURN SCP B

DOUBLE CYLINDER SCP B

TECHNICAL SPECIFICATIONS

Virtus euro cylinders
- Universal applications

Keyway
- C6 Keyway
- C5 Keyway
- C4 Keyway

Keying options
- KA Keyed Alike
- KD Keyed to Differ
- RCK Residential Construction Keyed (C5 Keyway only)
- Refer to Index, page 44 for product codes

Door thickness
- Various lengths available

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **Bi-Fold Lock**

BI-FOLD LOCK

LOCK: SAL45150
ROD KIT: 4PT-RK25

TECHNICAL SPECIFICATIONS

Door type
- For use with bi-folding aluminium door and widows

Door thickness
- Minimum 32mm

Door height
- 2.5m with standard rod kit
- 3.5m with extension kit (4PT-RKEX)

Schlage **Stella**™ **Sliding Door Locks**

STANDARD

NON-KEY LOCKING (SNIB ONLY) B

SSD12200

EXTERNAL LOCKING B

SSD12205

DEADLOCKING WITH DAYLATCH B

SSD12215

DUMMY B

SSD12221

SLIMLINE

NON-KEY LOCKING (SNIB ONLY) B

SSD12233

EXTERNAL LOCKING B

SSD12239

DUMMY B

SSD12251

SCHLAGE STELLA™ DESIGN FEATURES AND BENEFITS

TwinSecure®	Adds security through twin activating jaws / provides locking by snib or key
SlamStop®	Protects locking jaws from accidental damage / offers childproofing / prevents accidental lockout
ErgoDesign®	Suits left or right hand door applications / improves grip and feel of handle / favoured through rigorous consumer testing
MultiFix®	Adds security through adjustable concealed strike with stainless steel receiver plate and multiple fixing points / suits new and retrofit applications
MultiFunction®	Provides non key locking, key locking and dummy

TECHNICAL SPECIFICATIONS

Door thickness
- 30mm to 50mm

Cylinder options
- Standard C5 or C4 cylinders available

FUNCTIONS

- Deadlocking
- External locking
- Locking by snib only
- Dummy

WARRANTY

- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **Window Fasteners, Restrictor Stays, Flush Bolts**

SCHLAGE WINDOW FASTENERS

NON-VENTED B W

LEFT HAND		RIGHT HAND	
B	SWF240507	B	SWF240505
W	SWF240508	W	SWF240506

VENTED B W

LEFT HAND		RIGHT HAND	
B	SWF240511	B	SWF240509
W	SWF240512	W	SWF240510

FIXED WEDGE B W

LEFT HAND		RIGHT HAND	
B	SWF240515	B	SWF24051
W	SWF240516	W	SWF240514

TECHNICAL SPECIFICATIONS
- For use on aluminium windows
- 32mm pitch suitable for retrofit
- Vented and non-vented options include 2mm, 3mm and 4mm wedge options within pack

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

SCHLAGE RESTRICTOR STAYS

WINDOW RESTRICTOR SSS

SAL45001

TECHNICAL SPECIFICATIONS
- For aluminum casement and awning windows
- Stainless steel construction
- Suitable for left and right hand installations
- 2 pack

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

SCHLAGE FLUSH BOLTS

SURFACE MOUNTED SCP B

SCP	SDC22501FSCP
B	SDC22501FBK
D-TIP SCP	SDC22501DFSCP
D-TIP BLACK	SDC22501DFSBK

RECESSED SCP B

SCP	SDC22502FSCP
B	SDC22502FBK
D-TIP SCP	SDC22502DFSCP
D-TIP BLACK	SDC22502DFSBK

TECHNICAL SPECIFICATIONS
- Secures inactive leaf of a set of double doors
- For use on french or bifold doors
- Rod support guide and M4 screws included
- Base material Zinc Alloy, rod material Steel
- 300mm and 500mm extension rods available

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Credit: Dennis Radermacher - Lightforge

SCHLAGE

Levers and Knobs

Schlage **Form Series**

ALBO SSS

FURNITURE SET	SRL70ALSS
PASSAGE SET	SRL71ALSS
PRIVACY SET	SRL72ALSS
DUMMY TRIM	SRL73ALSS

ALPHA SSS

FURNITURE SET	SRL70AASS
PASSAGE SET	SRL71AASS
PRIVACY SET	SRL72AASS
DUMMY TRIM	SRL73AASS

ANGELO SSS

FURNITURE SET	SRL70ANSS
PASSAGE SET	SRL71ANSS
PRIVACY SET	SRL72ANSS
DUMMY TRIM	SRL73ANSS

COSTA SSS

FURNITURE SET	SRL70CTSS
PASSAGE SET	SRL71CTSS
PRIVACY SET	SRL72CTSS
DUMMY TRIM	SRL73CTSS

KANSO SSS

SFURNITURE SET	SRL70KNSS
PASSAGE SET	SRL71KNSS
PRIVACY SET	SRL72KNSS
DUMMY TRIM	SRL73KNSS

STEFANO SSS

FURNITURE SET	SRL70SFSS
PASSAGE SET	SRL71SFSS
PRIVACY SET	SRL72SFSS
DUMMY TRIM	SRL73SFSS

TELO SSS

FURNITURE SET	SRL70TESS
PASSAGE SET	SRL71TESS
PRIVACY SET	SRL72TESS
DUMMY TRIM	SRL73TESS

SQUARE ROSE (SHOWN ON KANSO) SSS

SQUARE ROSE COVER	SRL71AXSS
SQUARE PRIVACY ROSE COVER RH	SRL72AXSSR
SQUARE PRIVACY ROSE COVER LH	SRL72AXSSL

TECHNICAL SPECIFICATIONS
- 304 Grade solid stainless steel levers
- All Form levers are also available with a square rose cap which is sold separately

Rose specifications
- Ø57mm
- Concealed fixing

Door preparation
- QuickFix™ 25mm

Backset
- 60mm

Door thickness
- Furniture 30mm to 55mm
- Passage 30mm to 50mm
- Privacy 30mm to 42mm

FUNCTIONS
- Furniture set, passage, privacy and dummy trim
- Furniture set works with Legge 991MF Mortice Lock and other compatible mortice locks

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **Medio Series**

ALBA BSC

PASSAGE SET	SRL51ALBS
PRIVACY SET	SRL52ALBS
DUMMY TRIM	SRL53ALBS

CENTRA BSC

PASSAGE SET	SRL51CEBS
PRIVACY SET	SRL52CEBS
DUMMY TRIM	SRL53CEBS

STELLA BSC

PASSAGE SET	SRL51STBS
PRIVACY SET	SRL52STBS
DUMMY TRIM	SRL53STBS

RIVERA BSC

PASSAGE SET	SRL51RVBS
PRIVACY SET	SRL52RVBS
DUMMY TRIM	SRL53RVBS

RIVERA MB

PASSAGE SET	SRL51RVMB
PRIVACY SET	SRL52RVMB
DUMMY TRIM	SRL53RVMB

RIVERA ABC

PASSAGE SET	SRL51RVAC
PRIVACY SET	SRL52RVAC
DUMMY TRIM	SRL53RVAC

SIERRA BSC

PASSAGE SET	SRL51SRBS
PRIVACY SET	SRL52SRBS
DUMMY TRIM	SRL53SRBS

SIERRA MB

PASSAGE SET	SRL51SRMB
PRIVACY SET	SRL52SRMB
DUMMY TRIM	SRL53SRMB

SIERRA ABC

PASSAGE SET	SRL51SRAC
PRIVACY SET	SRL52SRAC
DUMMY TRIM	SRL53SRAC

TECHNICAL SPECIFICATIONS

Rose specifications
- Ø55mm
- Concealed fixing

Door preparation
- QuickFix™ 25mm

Backset
- 60mm

Door thickness
- Passage 30mm to 50mm
- Privacy 30mm to 42mm

FUNCTIONS
- Passage, privacy and dummy trim

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Schlage **Medio Plus Series**

ALBA BSC

PASSAGE SET	SRL61ALBS
PRIVACY SET	SRL62ALBS
DUMMY TRIM	SRL63ALBS

ALBA G

PASSAGE SET	SRL61ALG
PRIVACY SET	SRL62ALG
DUMMY TRIM	SRL63ALG

ALBA MB

PASSAGE SET	SRL61ALMB
PRIVACY SET	SRL62ALMB
DUMMY TRIM	SRL63ALMB

RIVERA BSC

PASSAGE SET	SRL61RVBS
PRIVACY SET	SRL62RVBS
DUMMY TRIM	SRL63RVBS

RIVERA G

PASSAGE SET	SRL61RVG
PRIVACY SET	SRL62RVG
DUMMY TRIM	SRL63RVG

RIVERA MB

PASSAGE SET	SRL61RVMB
PRIVACY SET	SRL62RVMB
DUMMY TRIM	SRL63RVMB

SIERRA BSC

PASSAGE SET	SRL61SRBS
PRIVACY SET	SRL62SRBS
DUMMY TRIM	SRL63SRBS

SIERRA G

PASSAGE SET	SRL61SRG
PRIVACY SET	SRL62SRG
DUMMY TRIM	SRL63SRG

SIERRA MB

PASSAGE SET	SRL61SRMB
PRIVACY SET	SRL62SRMB
DUMMY TRIM	SRL63SRMB

TECHNICAL SPECIFICATIONS

Rose specifications
- Ø63mm
- Concealed fixing

Door preparation
- QuickFix™ 25mm

Backset
- 60mm

Door thickness
- 32mm to 45mm

FUNCTIONS
- Passage, privacy and dummy trim

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **F Series**

ACCENT — SNP

ENTRANCE LOCK	SRL14061
PASSAGE SET	SRL14042
PRIVACY SET	SRL14052
DUMMY TRIM - RH	SRL13647
DUMMY TRIM - LH	SRL13646

ELAN — SCP

ENTRANCE LOCK	SRL14091
PASSAGE SET	SRL13661
PRIVACY SET	SRL13663
DUMMY TRIM	SRL13662

FLAIR — SCP

ENTRANCE LOCK	SRL14031
PASSAGE SET	SRL14011
PRIVACY SET	SRL14021
DUMMY TRIM - RH	SRL13712
DUMMY TRIM - LH	SRL13711

LATITUDE — SCP

ENTRANCE LOCK	SRL19161
PASSAGE SET	SRL19159
PRIVACY SET	SRL19160
DUMMY TRIM	SRL19162

LATITUDE — B

ENTRANCE LOCK	SRL32052
PASSAGE SET	SRL32053
PRIVACY SET	SRL32051
DUMMY TRIM	SRL32054

MANHATTAN — SCP

ENTRANCE LOCK	SRL14120
PASSAGE SET	SRL14122
PRIVACY SET	SRL14121
DUMMY TRIM - RH	SRL14123
DUMMY TRIM - LH	SRL14161

CENTURY LATITUDE — SNP

PASSAGE SET	SRL32294

CENTURY LATITUDE — B

ENTRANCE LOCK	SRL32072
PASSAGE SET	SRL32074
PRIVACY SET	SRL32073
DUMMY TRIM	SRL32075

TECHNICAL SPECIFICATIONS
- ANSI/BHMA certified. Graded best in security, durability and finish (AAA)

Rose specifications
- Ø65mm

Door preparation
- 54mm

Backset
- 60mm or 70mm (adjustable)

Door thickness
- 36mm to 44mm

FUNCTIONS
- Entrance, passage, privacy and dummy trim

WARRANTY
- Lifetime mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Schlage **Element Series**

AMELIA — SCP

PASSAGE SET	SRG41AESC
PRIVACY SET	SRG42AESC
DUMMY TRIM	SRG43AESC

CARLA — SCP

PASSAGE SET	SRG41CASC
PRIVACY SET	SRG42CASC
DUMMY TRIM	SRG43CASC

FLORENCE — SCP

PASSAGE SET	SRG41FLSC
PRIVACY SET	SRG42FLSC
DUMMY TRIM LH	SRG43FLSCL
DUMMY TRIM RH	SRG43FLSCR

LIANNA — SCP

PASSAGE SET	SRG41LISC
PRIVACY SET	SRG42LISC
DUMMY TRIM	SRG43LISC

LIANNA — G

PASSAGE SET	SRG41LIG
PRIVACY SET	SRG42LIG
DUMMY TRIM	SRG43LIG

LIANNA — MB

PASSAGE SET	SRG41LIMB
PRIVACY SET	SRG42LIMB
DUMMY TRIM	SRG43LIMB

HARPER — SCP

PASSAGE SET	SRG41HARSC
PRIVACY SET	SRG42HARSC
DUMMY TRIM	SRG43HARSC

HARPER — G

PASSAGE SET	SRG41HARG
PRIVACY SET	SRG42HARG
DUMMY TRIM	SRG43HARG

TECHNICAL SPECIFICATIONS

Rose specifications
- Ø63mm
- Concealed fixing

Door preparation
- 54mm

Backset
- 60mm

Door thickness
- 32mm to 45mm

FUNCTIONS
- Passage, privacy and dummy trim

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Schlage **Regent Series**

BOSTON SCP

ENTRANCE LOCK	RBENTSS
PASSAGE SET	RBPASSS
PRIVACY SET	RBPRIVS
DUMMY TRIM	RBDUMMS

JUPITER SCP

ENTRANCE LOCK	RJENTSS
PASSAGE SET	RJPASSS
PRIVACY SET	RJPRIVS
DUMMY TRIM	RJDUMMS

LEONARDO SCP

ENTRANCE LOCK	RLENTSS
PASSAGE SET	RLPASSS
PRIVACY SET	RLPRIVS
DUMMY TRIM	RLDUMMS

LEONARDO SNP

ENTRANCE LOCK	RLENTSSNP
PASSAGE SET	RLPASSSNP
PRIVACY SET	RLPRIVSNP
DUMMY TRIM	RLDUMMSNP

RUBENS SCP

ENTRANCE LOCK	RRENTSS
PASSAGE SET	RRPASSS
PRIVACY SET	RRPRIVS
DUMMY TRIM	RRDUMMS

RUBENS SNP

ENTRANCE LOCK	RRENTSSNP
PASSAGE SET	RRPASSSNP
PRIVACY SET	RRPRIVSNP
DUMMY TRIMT	RRDUMMSNP

TECHNICAL SPECIFICATIONS

Rose specifications
- Ø65mm (round)
- 60mm x 60mm (square)
- Concealed fixing

Door preparation
- 54mm

Backset
- 60mm or 70mm (adjustable)

Door thickness
- 35mm to 50mm
- 127mm option also available

Cylinder
- Schlage C5

FUNCTIONS
- Entrance, passage, privacy and dummy trim

WARRANTY
- 10 year mechanical warranty
- For finish warranties please refer to our website

Finishes: Refer to page 42 for finish types

Credit: Dennis Radermacher - Lightforge

Schlage **F Series**

GEORGIAN AB

ENTRANCE LOCK	SRL13059
PASSAGE SET	SRL10125
PRIVACY SET	SRL10127
DUMMY TRIM	SRL10124

ORBIT SCP

ENTRANCE LOCK	SRL13549
PASSAGE SET	SRL13547
PRIVACY SET	SRL13548
DUMMY TRIM	SRL13550

PLYMOUTH PB

ENTRANCE LOCK	SRL13058
PASSAGE SET	SRL10143
PRIVACY SET	SRL10145
DUMMY TRIM	SRL10142

PLYMOUTH SCP

ENTRANCE LOCK	SRL13109
PASSAGE SET	SRL13111
PRIVACY SET	SRL13110
DUMMY TRIM	SRL13112

Schlage **Classic Series**

CLASSIC BG

PASSAGE SET	SRGK1CLBG
PASSAGE TO PRIVACY ADAPTOR	SRGK2CLBG
WARDROBE TRIM	SRGK0CLBG

CLASSIC CP

PASSAGE SET	SRGK1CLCP
PASSAGE TO PRIVACY ADAPTOR	SRGK2CLCP
WARDROBE TRIM	SRGK0CLCP

CLASSIC SP

PASSAGE SET	SRGK1CLSP
PASSAGE TO PRIVACY ADAPTOR	SRGK2CLSP
WARDROBE TRIM	SRGK0CLSP

CLASSIC DIPLOMAT BG

PASSAGE SET	SRGK0DPBG
DUMMY TRIM	SRGK3DPBG
WARDROBE TRIM	SRGK0DPBG

CLASSIC DIPLOMAT SP

PASSAGE SET	SRGK0DPBG
DUMMY TRIM	SRGK3DPBG
WARDROBE TRIM	SRGK0DPBG

Schlage **Regent Series**

DENVER PB

ENTRANCE LOCK	RDENTSP
PASSAGE SET	RDPASSP
PRIVACY SET	RDPRIVP
DUMMY TRIM	RDDUMMP

DENVER SSS

COMBINATION SET*	RDCOMBS
ENTRANCE LOCK	RDENTSS
PASSAGE SET	RDPASSS
PRIVACY SET	RDPRIVS
DUMMY TRIM	RDDUMMS

Schlage **Element Series**

TERRACE SSS

ENTRANCE LOCK	SRGK4TESS
PASSAGE SET	SRGK1TESS
PRIVACY SET	SRGK2TESS
DUMMY TRIM	SRGK3TESS

F SERIES
- ANSI/BHMA certified. Graded best in security, durability and finish (AAA)
- Lifetime mechanical warranty
- For finish warranties please refer to our website
- **Door preparation:** 54mm
- **Backset:** 60mm or 70mm (adjustable)
- **Door thickness:** 35mm to 44mm
- **Cylinder:** Schlage C5

CLASSIC SERIES
- 10 year mechanical warranty
- For finish warranties please refer to our website
- **Door preparation:** 35mm
- **Backset:** 60mm
- **Door thickness:** 35mm to 45mm

REGENT SERIES
- Deadbolt and entrance set, keyed alike*
- ANSI/BHMA Grade 3 performance
- 10 year mechanical warranty
- For finish warranties please refer to our website
- **Door preparation:** 54mm
- **Backset:** 60mm or 70mm (adjustable)
- **Door thickness:** 35mm to 50mm
- **Cylinder:** Schlage C5
- **Rose specifications**
- Ø65mm round rose

ELEMENT SERIES
- 10 year mechanical warranty
- For finish warranties please refer to our website
- **Door preparation:** 54mm
- **Backset:** 60mm
- **Door thickness:** 35mm to 45mm
- **Cylinder:** Schlage C5
- **Rose specifications**
- Ø63mm round rose

Finishes: Refer to page 42 for finish types

Credit: Dennis Radermacher - Lightforge

SCHLAGE

General Hardware

Schlage **Wall Mounted Door Stops**

ROUND POST 75MM PROJECTION

SSS

DAX13002SSS

ROUND POST 77MM PROJECTION

MB SCP

MB: SDC19003V
SCP: SDC19001V
*Multipack options also available

ROUND POST 75MM PROJECTION

SSS

DAX13001SSS

ROUND POST 85MM PROJECTION

ABC BSC G MB SNP SP

ABC: SDC19041V
BSC: SDC19049V
MB: SDC19006V
G: SDC19048V
SNP: SDC18540V
SP: SDC19008V
*Multipack options also available

ROUND POST 110MM PROJECTION

SNP SP

SNP: SDC19007V
SP: SDC18546V



SQUARE POST 85MM PROJECTION

MB SNP

SNP: SDC19010V
MB: SDC19012V
*Multipack options also available

ROUND POST MAGNETIC 75MM PROJECTION

SNP

SDC19039V

ROUND POST MAGNETIC 85MM PROJECTION

MB SNP

MB: SDC19019V
SNP: SDC19018V

ROUND POST HOLD OPEN 75MM PROJECTION

SP

SDC19020V

ROUND POST LATCH BACK 75MM PROJECTION

MB SCP

MB: SDC19036V
SCP: SDC19035V

SQUARE POST LATCH BACK 75MM PROJECTION

MB SCP

MB: SDC19034V
SCP: SDC19033V

Schlage **Floor Mounted Door Stops**

ROUND DOOR STOP
40MM HIGH X 35MM DIAMETER

SSS

SDC19021V

ROUND DOOR STOP
40MM HIGH X 45MM DIAMETER

BSC G MB SSS

BSC: SDC19050V
G: SDC19047V
MB: SDC19024V
SSS: SDC19023V

ROUND DOOR STOP
40MM HIGH X 50MM DIAMETER

SP

SDC19022V

ROUND DOOR STOP
60MM HIGH X 45MM DIAMETER

SSS

SDC19025V

ROUND DOOR STOP
40MM HIGH X 35MM DIAMETER

SNP

SDC19026V

DOME DOOR STOP
45MM DIAMETER

MB SCP SP

MB: SDC19028V
SCP: SDC19027V
SP: SDC19029V

SQUARE DOOR STOP
40MM HIGH X 40MM WIDE

SNP

SDC19030V

ROUND MAGNETIC DOOR STOP
40MM HIGH

SNP

SDC19031V

ROUND MAGNETIC - HOLD OPEN
75MM HIGH X 50MM DIAMETER

SCP

SDC18516V

OVERHEAD MOUNTED DOOR STOPS

MB SSS

LH MB: SDC19046
RH MB: SDC19045
LH SSS: SDC19044
RH SSS: SDC19043

Finishes: Refer to page 42 for finish types

Schlage **Cavity Sliding and Flush Pulls**

SQUARE PASSAGE CAVITY SLIDER

SP MB

SP: SRGCSS1SP
MB: SRGCSS1MB-1

SQUARE PRIVACY CAVITY SLIDER

SP MB

SP: SRGCSS2SP
MB: SRGCSS2MB-1

ROUND PASSAGE CAVITY SLIDER

ABC G MB SP SCP

ABC: SRGCSR1AC
G: SRGCSR1G
MB: SRGCSR1MB-1
SP: SRGCSR1SP
SCP: SRGCSR1SC

ROUND PRIVACY CAVITY SLIDER

ABC G MB SP SCP

ABC: SRGCSR2AC
G: SRGCSR2G
MB: SRGCSR2MB-1
SP: SRGCSR2SP
SCP: SRGCSR2SC

PASSAGE SLIDING DOOR LOCK

SCP

SRL13576

PRIVACY SLIDING DOOR LOCK

SCP

SRL13580

FACE FIXING RECTANGULAR FLUSH PULL - ROUNDED 125MM X 30MM

SP

SRGFPRSP-125

FACE FIXING RECTANGULAR FLUSH PULL - SQUARE 115MM X 35MM

SP

SRGFPSSP-115

CONCEALED FIXING 1964 RECTANGULAR FLUSH PULL - ROUNDED 120MM X 35MM

MB SSS

MB: DAX1964MB-01
SSS: DAX1964SSS-01

CONCEALED FIXING RECTANGULAR FLUSH PULL - ROUNDED

SSS

120X50MM: SRGFPRSS-120
150X50MM: SRGFPRSS-150

CONCEALED FIXING RECTANGULAR FLUSH PULL - SQUARE

SSS

120X50MM: SRGFPSSS-120
150X50MM: SRGFPSSS-150

CONCEALED FIXING 1965 RECTANGULAR FLUSH PULL 102MM X 51MM

SSS

DAX1965SSS

Schlage **Cavity Sliding and Flush Pulls**

180 CONCEALED FIXING RECTANGULAR FLUSH PULL 180MM X 45MM

ABC MB SSS

ABC: LGHFPS180ABC
MB: LGHFPS180B
SSS: LGHFPS180SS

CONCEALED FIXING FLUSH PULL 180MM X 45MM & FINGER PULL 30MM SET

G MB SCP

G: SRGFPRG-180
MB: SRGFPRMB-180
SCP: SRGFPRSC-180

FINGER PULL ROUND 30MM

SSS

SDC18525

FINGER PULL SQUARE 30MM

MB SSS

MB: SDC18526
SSS: SDC18524

Schlage and Legge **General Hardware**

LEGGE HEAVY DUTY ROLLER CATCH

SSS

DAX15211SSS

SCHLAGE ROLLER CATCH

SCP PB

SCP: SDC18488
PB: SDC15763

SCHLAGE MAGNETIC DOOR CATCH

CP

SDC18504

SCHLAGE HAT AND COAT HOOK

SSS

DAX12921SSS

SCHLAGE DOOR VIEWER

MB SCP

MB: SGHDV16B
SCP: SDC18500

Finishes: Refer to page 42 for finish types

Credit: Dennis Radermacher - Lightforge, Design by Young Architects

Glossary and Guides

COMMON TERMS

Backset – the distance from the edge of the door to the centre of the hole for your lever or knob.

Concealed magnetic catch – magnets concealed in the jamb to hold the door shut. Usually used with a dummy trim in a wardrobe or cupboard application.

Cylinder – the cylindrical shaped mechanism housed within door locks that contains the tumbler and keyway, into which a key is inserted to operate the lock.

Deadbolt – a bolt engaged by a turn or key, rather than by spring action.

Door preparation – the cut-outs or holes made to the door for the lock and/or lever being installed.

Dummy / Dummy trim – A face fixing lever or knob that matches your passage and privacy sets, for a cupboard or wardrobe door. Usually sold as singles not pairs and does not come with a latch.

Escutcheon – a cap that covers the base of a key cylinder (not to be confused with Rose as below).

Jamb – the frame that surrounds the door in the doorway.

Latch – the mechanism that slides into the edge of the door and retracts or protrudes with the turn of the doorknob or lever. The latch keeps the door closed and allows it to open.

Mortice lock – a lock which is set within the body of a door in a recess or mortice, as opposed to one attached to the door surface.

Night latch / Rim lock – a lock that is fitted on the surface of a door. It is operated from the exterior side of the door by a key and from the interior side of the door by a turn or small knob.

Rose – a cap that covers the base of a door handle allowing concealed fixing screws.

Roller catch – has a spring-loaded roller held within a cylinder attached to a flange. The catch is recessed into the edge of the door while the striker plate is recessed into the jamb. Usually used with a dummy trim or pull handle.

Stile – the vertical edge of the door where door furniture is fixed. A thin stile i.e. one with a glass pane near the edge of the door may have implications for which backset can be used.

Strike / Strike plate – the metal piece attached to the door jamb. As the door closes, the latch mechanism strikes the plate mounted to the jamb and the strike plate catches the mechanism and holds the door closed.

Turn - a small interior piece that can be turned with your finger and thumb to lock or unlock a door lock.

DOOR PREPARATION GUIDE



LEVER HANDING GUIDE



HINGE HANDING GUIDE



LEVER DIMENSION GUIDE



Finish Swatches and Services

FINISH SWATCHES



AB
Antique Brass



ABC
Aged Brushed Copper

B/MB
Matte Black

CP
Chrome Plate



G
Graphite

PB/BG
Polished Brass Bright Gold

PS
Polished Steel

PVD-B
Physical Vapour Deposition - Black



SBC
Satin Black Chrome

SCP/BSC
Satin Chrome Plate
Brushed Satin Chrome

SE
Silver

SNP
Satin Nickel Plate

SP
Satin Pearl



SSS
Satin Stainless Steel

For finish warranties please refer to website allegion.co.nz/finisheswarranty

KEYING SERVICES

C4 and C5 keyways – The Schlage "C" keyway key blank C5 (5 pin) is part of the Schlage keyway family and is the default keyway used in Schlage Residential locks. The classic "C" keyway provides security with no restrictions on key duplications.

The C4 (5-pin) keyway is useful when keying alike to existing locks that are not from Schlage, as it is a keyway used by other hardware brands.

Residential Construction Keying – RCK – system, involves a single key, replicated to be used by tradesmen for all homes during the construction phase. Building companies will be supplied 25 keys free (additional keys by negotiation), which can be reused on future houses/apartments. Each building company receives a personalised RCK system, so no two building companies have the same keys. When the new homeowner takes over the house, they are presented with their own keys, which, when used, automatically resets the lock cylinder, making the RCK inoperable and providing the homeowner final ownership and security.

Master keying – Master keying is a method of controlling access through a building. A key schedule is prepared from provided floor plans. It includes a key matrix, which locates keys and locks and their distribution and usability. Security is based on a system where one lock has its own key. This key will not operate any other locks in the property/building, however where all locks are in the same property/building the locks can be operated by the one master key.

Keyed Alike – KA – More than one lock being operated by the same key.

Keyed To Differ – KD – One lock is opened with a single key.

Standard master keying vs restricted – With a non-restricted key (standard / open key), keys can be duplicated by any standard key cutting personnel. However, the ability for someone to cut a master key without knowledge of the origin or ownership of the key, is a risk that should be considered.

With the restricted key, the key blanks are restricted to approved locksmiths only. Keys cannot be cut without authorisation, which allows enhanced security, total key control and accurate record keeping of keys cut to date. Record keeping is maintained on a database which is held by the locksmith.

Index

SCHLAGE ELECTRONIC ENTRANCE HARDWARE SETS

Pull handle entrance sets: Contain smart lock, back to back pull handles, and option of mini lever, thumb turn or roller catch. The length of the pull handle is denoted by the 3 digits after the hyphen within the product code. Refer to individual pages for information on each product (Pages 5, 6, 11 and 12).

Product Name	Satin Stainless Steel	Matte Black	PVD Black
Encode Smart Wi-Fi Deadbolt			
- With Andor and Mini Lever - With Andor and Thumb Turn - With Andor and Roller Catch	SRS61-625MLSSS SRS61-625SSS SRS61-625RSSS	SRS61-625MLMB SRS61-625MB SRS61-625RMB	SRS61-625MLPVDB SRS61-625PVDB SRS61-625RPVDB
Encode Smart Wi-Fi Deadbolt			
- With Corfu and Mini Lever - With Corfu and Thumb Turn - With Corfu and Roller Catch	SRS67-600MLSSS SRS67-600SSS SRS67-600RSSS	SRS67-600MLMB SRS67-600MB SRS67-600RMB	SRS67-600MLPVDB SRS67-600PVDB SRS67-600RPVDB
Encode Smart Wi-Fi Deadbolt			
- With Trento and Mini Lever - With Trento and Thumb Turn - With Trento and Roller Catch	SRS64-620MLSSS SRS64-620SSS SRS64-620RSSS	SRS64-620MLMB SRS64-620MB SRS64-620RMB	SRS64-620MLPVDB SRS64-620PVDB SRS64-620RPVDB
Encode Smart Wi-Fi Deadbolt			
- With Turin and Mini Lever - With Turin and Thumb Turn - With Turin and Roller Catch	SRS63-600MLSSS SRS63-600SSS SRS63-600RSSS	SRS63-600MLMB SRS63-600MB SRS63-600RMB	SRS63-600MLPVDB SRS63-600PVDB SRS63-600RPVDB
Encode Smart Wi-Fi Deadbolt			
- With Verta and Mini Lever - With Verta and Thumb Turn - With Verta and Roller Catch	SRS69-800MLSSS SRS69-800SSS SRS69-800RSSS		SRS69-800MLPVDB SRS69-800PVDB SRS69-800RPVDB
Ascent Smart Lock			
- With Trento and Thumb Turn		SRS54-620MB	

Encode Century Latitude sets: Contains Schlage Encode and entrance or lever set. Refer to individual pages for information on each product (Pages 5, 13 and 28).

Product Name	Satin Nickel Plate	Matte Black
Encode Century Latitude entrance set	SRS60SNP	SRS60MB
Encode Century Latitude lever set	SRE60131	SRE60130

SCHLAGE MECHANICAL ENTRANCE SETS

Pull handle entrance sets: Contain back to back pull handles, mini lever or thumb turn, cylinder escutcheons and Schlage Virtus mortice lock. The length of the pull handle is denoted by the 3 digits after the hyphen within the product code. Refer to individual pages for information on each product (Pages 11, 12, 19 and 20).

Product Name	Satin Stainless Steel	Matte Black	PVD Black
Andor, 4PT Virtus and Mini Lever Andor, 2PT Virtus and Mini Lever Andor, 2PT Virtus and Thumb Turn	SRS41-625SSS SRS21-625SSS SRS11-625SSS	SRS41-625MB SRS21-625MB SRS11-625MB	SRS41-625PVDB SRS21-625PVDB SRS11-625PVDB
Corfu, 4PT Virtus and Mini Lever Corfu, 2PT Virtus and Mini Lever Corfu, 2PT Virtus and Thumb Turn	SRS47-600SSS SRS27-600SSS SRS17-600SSS	SRS47-600MB SRS27-600MB SRS17-600MB	SRS47-600PVDB SRS27-600PVDB SRS17-600PVDB
Trento, 4PT Virtus and Mini Lever Trento, 2PT Virtus and Mini Lever Trento, 2PT Virtus and Thumb Turn	SRS44-620SSS SRS24-620SSS SRS14-620SSS	SRS44-620MB SRS24-620MB SRS14-620MB	SRS44-620PVDB SRS24-620PVDB SRS14-620PVDB
Turin, 4PT Virtus and Mini Lever Turin, 2PT Virtus and Mini Lever Turin, 2PT Virtus and Thumb Turn	SRS43-600SSS SRS23-600SSS SRS13-600SSS	SRS43-600MB SRS23-600MB SRS13-600MB	SRS43-600PVDB SRS23-600PVDB SRS13-600PVDB
Verta, 4PT Virtus and Mini Lever Verta, 2PT Virtus and Mini Lever Verta, 2PT Virtus and Thumb Turn	SRS49-800SSS SRS29-800SSS SRS19-800SSS		SRS49-800PVDB SRS29-800PVDB SRS19-800PVDB

Two or four point entrance sets: Entrance sets contain mini lever, cylinder escutcheons and Schlage Virtus mortice lock. Refer to individual pages for information on each product (Pages 12, 19 and 20).

Product Name	Satin Stainless Steel	Matte Black	PVD Black
4PT Virtus and square Mini Lever and Escutcheons	4PT-60S-MLCES-SSS	4PT-60S-MLCES-MB	4PT-60S-MLCES-PVDB
4PT Virtus and round Mini Lever and Escutcheons	4PT-60S-MLCER-SSS	4PT-60S-MLCER-MB	4PT-60S-MLCER-PVDB
2PT Virtus and square Mini Lever and Escutcheons	2PT-60S-MLCES-SSS	2PT-60S-MLCES-MB	2PT-60S-MLCES-PVDB
2PT Virtus and round Mini Lever and Escutcheons	2PT-60S-MLCER-SSS	2PT-60S-MLCER-MB	2PT-60S-MLCER-PVDB
2PT Virtus and square Thumb Turn and Escutcheons	2PT-60S-TCES-SSS	2PT-60S-TCES-MB	2PT-60S-TCES-PVDB
2PT Virtus and round Thumb Turn and Escutcheons	2PT-60S-TCER-SSS	2PT-60S-TCER-MB	2PT-60S-TCER-PVDB

Latch sets: Entrance sets contain mini lever, or thumb turn and latch. Refer to individual pages for information on each product (Page 12).

Product Name	Satin Stainless Steel	Matte Black	PVD Black
60/70mm adjustable latch with square Mini Lever	S316-MLSL60-SSS	S316-MLSL60-MB	S316-MLSL60-PVDB
60/70mm adjustable latch with round Mini Lever	S316-MLRL60-SSS	S316-MLRL60-MB	S316-MLRL60-PVDB
60/70mm adjustable latch with square Thumb Turn	S316-TSL60-SSS	S316-TSL60-MB	S316-TSL60-PVDB
60/70mm adjustable latch with round Thumb Turn	S316-TRL60-SSS	S316-TRL60-MB	S316-TRL60-PVDB

SCHLAGE PULL HANDLES

Pull handles are supplied as back to back sets. The length of the pull handle is denoted by the 3 digits after the hyphen within the product code. Some models/lengths may not be stocked and have a minimum order quantity - check with Allegion for further details. Refer to Page 11 for more information.

Product Name	Satin Stainless Steel	Matte Black	PVD Black
Andor	S316-1-325-SSS S316-1-425-SSS S316-1-625-SSS S316-1-825-SSS	S316-1-325-MB S316-1-425-MB S316-1-625-MB S316-1-825-MB	S316-1-325-PVDB S316-1-425-PVDB S316-1-625-PVDB S316-1-825-PVDB
Trento	S316-4-470-SSS S316-4-620-SSS S316-4-820-SSS S316-4-1020-SSS	S316-4-470-MB S316-4-620-MB S316-4-820-MB S316-4-1020-MB	S316-4-470-PVDB S316-4-620-PVDB S316-4-820-PVDB S316-4-1020-PVDB
Dego	S316-2-325-SSS S316-2-475-SSS S316-2-625-SSS S316-2-825-SSS S316-2-1025-SSS	S316-2-325-MB S316-2-475-MB S316-2-625-MB S316-2-825-MB S316-2-1025-MB	S316-2-325-PVDB S316-2-475-PVDB S316-2-625-PVDB S316-2-825-PVDB S316-2-1025-PVDB
Turin	S316-3-600-SSS S316-3-800-SSS	S316-3-600-MB S316-3-800-MB	S316-3-600-PVDB S316-3-800-PVDB
Silvi	S316-8-332-SSS S316-8-482-SSS S316-8-632-SSS S316-8-832-SSS S316-8-1032-SSS	S316-8-332-MB S316-8-482-MB S316-8-632-MB S316-8-832-MB S316-8-1032-MB	S316-8-332-PVDB S316-8-482-PVDB S316-8-632-PVDB S316-8-832-PVDB S316-8-1032-PVDB
Capri	S316-6-332-SSS S316-6-482-SSS S316-6-632-SSS S316-6-832-SSS	S316-6-332-MB S316-6-482-MB S316-6-632-MB S316-6-832-MB	S316-6-332-PVDB S316-6-482-PVDB S316-6-632-PVDB S316-6-832-PVDB
Verona	S316-5-380-SSS S316-5-530-SSS S316-5-680-SSS S316-5-880-SSS S316-5-1080-SSS	S316-5-380-MB S316-5-530-MB S316-5-680-MB S316-5-880-MB S316-5-1080-MB	S316-5-380-PVDB S316-5-530-PVDB S316-5-680-PVDB S316-5-880-PVDB S316-5-1080-PVDB
Corfu	S316-7-450-SSS S316-7-600-SSS S316-7-800-SSS S316-7-1000-SSS S316-7-1200-SSS	S316-7-450-MB S316-7-600-MB S316-7-800-MB S316-7-1000-MB S316-7-1200-MB	S316-7-450-PVDB S316-7-600-PVDB S316-7-800-PVDB S316-7-1000-PVDB S316-7-1200-PVDB
Verta	V16000-S		V16000-B
Single Side Fixing Kit	S316SFK		

SCHLAGE VERTA SERIES

Refer to pages 17-18 for product information on the Schlage Verta Series.

Product Name	Satin Stainless Steel	PVD Black
800mm Pull Handle	V16000-S	V16000-B
Escutcheons		
- Oval cylinder escutcheon (square)	V11008-S	VV11008-B
- Euro cylinder escutcheon (square)	V11012-S	V11012-B
- Slimline euro cylinder escutcheon (rectangle)	V15004-S	V15004-B
Privacy bolt and turn		
- Square	V111050-S	V11050-B
- Round	V11050R-S	V11050R-B
Long plate furniture		
- External with cylinder hole	V13000-S	V13000-B
- Internal with cylinder hole	V13002-S	V13002-B
- External without cylinder hole	V13004-S	V13004-B
- Internal without cylinder hole	V13006-S	V13006-B
Internal lever		
- Square Rose Furniture Set	V11000-S	V11000-B
- Square Rose Passage Set	V11002-S	V11002-B
- Square Rose Dummy Trim	V11004-S	V11004-B
- Round Rose Furniture Set	V11000R-S	V11000R-B
- Round Rose Passage Set	V11002R-S	V11002R-B
- Round Rose Dummy Trim	V11004R-S	V11004R-B
Window fasteners		
- Left hand low profile	V12000-S	V12000-B
- Right hand low profile	V12002-S	V12002-B
- Left hand high profile	V12004-S	V12004-B
- Right hand high profile	V12006-S	V12006-B
300mm offset pull handles	V15000-S	V15000-B
External Flush pull		
- 250mm long - for aluminium doors only	V15002-S	V15002-B
Bi-Fold Lever	V14000-S	V14000-B

SCHLAGE VIRTUS EURO CYLINDERS

Refer to page 20 for Euro cylinders.

Product Name	Pin	Length (mm)	To Centre of Cam	Keying	Satin Chrome Plate	Black
Euro cylinder and turn	5 Pin	65	32.5 / 32.5	KD	SRP32068	SRP32068B
	5 Pin	65	32.5 / 32.5	KA	SRP32072	
	5 Pin	70	35 / 35	KD	SRP32043	
	5 Pin	80	40 / 40	KD	SRP32989	SRP32989B
	5 Pin	90	45 / 45	KD	SRP33015	
	5 Pin	70	32 / 38		SRP33024	SRP33024B
	5 Pin	77	45 / 32		SRP33043	SRP33043B
	5 Pin	80	32 / 48		SRP33023	SRP33023B
	5 Pin	80	45 / 35		SRP33040	SRP33040B
	5 Pin	80	35 / 45		SRP33044	SRP33044B
Euro double cylinder	5 Pin	65	32.5 / 32.5	KD	SRP32067	
	5 Pin	65	32.5 / 32.5	KA	SRP32071	
	5 Pin	70	35 / 35	KA	SRP32042	
	5 Pin	90	45 / 45	KA	SRP33016	
	5 Pin	70	32 / 38		SRP33027	SRP33027B
Euro half cylinder	5 Pin	42	10 / 32	KD	SRP32065	
	5 Pin	42	10 / 32	KA	SRP32215	

No Key Fixed Cam Euro Cylinders

Product Name	Length (mm)	To Centre of Cam	Satin Chrome Plate	Black
Half turn	42	10 / 32	ME5TS	ME5TSB
Emergency release	65	32.5 / 32.5	ME5ETSCP	
Half turn	50	10 / 40	SRP33036	SRP33036B
Half turn	60	10 / 50	SRP33031	SRP33031B
Half turn	65	10 / 55	SRP33041	SRP33041B

SCHLAGE

Trust your home to Schlage.

100 YEARS SCHLAGE

For more than a century, Schlage has helped protect what matters most – peace of mind.

Trusted in over 40 million homes, we strive to enhance everyday life by delivering door hardware and access control solutions focused on reliable experiences, modern simplicity, thoughtful innovation, and a dedication to craftsmanship. Where some see just a door, we see an opportunity to help turn a home into a haven.

Trust your home to Schlage.

www.schlage.co.nz

ALLEGION (NEW ZEALAND) LIMITED

Freephone 0800 477 869
Email nzinfo@allegion.com
www.allegion.co.nz

ABOUT ALLEGION™

Allegion (NYSE: ALLE) is a global pioneer in security and access solutions that help keep people safe where they live, learn, work and connect. Our experts design innovative products that bring together trusted security, convenient access and advanced technology.

For more, **visit www.allegion.com**

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.
Google is a trademark of Google LLC.

ALLEGION™

NZRES11026 © 2026 Allegion