

Electronic Solutions

Electric mortice locks

E03 FSH FEL990 Series

Privacy plus lock system

E04 Legge Privacy Plus Lock System

Electronic locks

E05 Briton 9365 Series

E05 Briton 9365-990 Series

E05 Schlage Omnia

E06 Schlage CO 100 Series

E06 Schlage CO 200 Series

Power operators

E07 ECO Schulte ETS Series

ECOLock drop bolts

E08 FSH VE1260 Series

E08 FSH HL1260 Series

Electric strikes

Ecoline

E09 FSH FES90M-P Series

Standard

E09 FSH FES20 Series

E10 FSH FES10 Series

E10 FSH FES15 Series

Maximum Security

E10 FSH Custodial electric strikes

Electromagnetic door holders

E11 FSH R40 Electromagnetic door holders

E11 LCN Electromagnetic door holders

Electromagnetic locks

E12 FSH FEM2400 Series

E12 FSH FEM5700 Series

E13 FSH FEM3500 Series

E13 FSH Electromagnetic cabinet locks

E13 FSH Electromagnetic gate locks

Accessories


E14 Von Duprin Electrical accessories

E14 Schlage Access control credentials

FSH FEL 990 Series

Note: Cylinders are not included – refer accessories. Lock includes individual monitoring of locking bar, latch, door position, request to exit and key override.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Door type: Metal or wood
Backset: 60mm standard. 70mm, 89mm and 127mm available
Fire rated: 4 hours – refer fire door manufacturer for approval
Door thickness: 32mm to 50mm (extended spindle for up to 65mm thickness available)

Extended backset

Backset	Price
70mm	add 123.00
89mm	add 156.00
127mm	add 218.00

Description	Finish	Price
	SSS	
Monitored 990 electric mortice lock (12-pin)	FEL990M	825.00

Note:

This lock is multi-functional with field changeable:

- Functions (vestibule or combination)
- Safety (fail safe or fail secure)
- Key override
- Handing (left hand or right hand)

Locks will be supplied in fail safe mode and in a left handed configuration.

- Includes cable, fixings and spindles.


Accessories

Description	Code	Price
Power transfer device		
300mm Lead cover	IRT881SSS	50.50
520mm Lead cover	IRT882SSS	60.00
Legge 990 cylinder - C4 keyway	Z990300/1	54.50
3.0m 12-pin cable	Z99EC3	56.00
Door position sensor (DPS) magnet	Z99EMAG	67.50
12-pin to 9-pin adaptor for Legge 990 MFE / LW3572EL	Z99EI2E	80.50
12-pin to 9-pin adaptor for Legge 990 MFEi	Z99EI2I	80.50
Extended spindle for 51mm - 60mm door thickness	Z990451	2.40
External plain plate with Alpha lever and LED	LA703LEDS	246.00
Internal plain plate with Alpha lever and LED	LA712LEDS	246.00

Legge Privacy Plus lock system

Features: Privacy Plus lock system is ideal for shared ensuites in healthcare, aged care facilities, laboratories, sound studios, darkrooms and other shared facilities. The locking control system ensures that occupants sharing an ensuite/room have access to privacy by the push of a button. Occupants push a button to obtain privacy and when leaving simply operate the door handle to reset the system to the normal state. This will ensure that others sharing the ensuite/room have access.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Controller features included as standard

Standard

When room vacant, locks are unlocked and all furniture LEDs are green. When occupied, all external handles are locked and all furniture LEDs are red.

Secure

When room vacant, locks are locked and all furniture LEDs are red. This eliminates inter room travel through the room, such as a shared ensuite and only allows occupant to exit via the door entered.

Air lock

When room vacant, locks are unlocked. Upon operation of an outside lever handle the second door instantly locks so that it cannot be opened simultaneously.

Man trap

When room vacant, locks are locked and all furniture LEDs are red. To enter the room, push an 'Unlock' switch to unlock the first door. While this door is open, the second door will remain locked and is prevented from opening simultaneously. When the first door closes, the LEDs will change to red and the system will relock until such time as an 'Unlock' switch is activated.

Privacy Plus packs

Description	Code	Price
Standard pack – includes locks, controller, switches and cables	LPPSTD-B	3,610.00
Secure pack – includes locks, controller, switches and cables	LPPSECP	4,250.00
Air lock pack – includes locks, controller, switches and cables	LPPALP	3,610.00
Man trap pack – includes locks, controller, switches and cables	LPPMTP	3,610.00
Note: All packs exclude door furniture. Recommended furniture:		
External plain plate with Alpha lever and LED	LA703LEDS	246.00
Internal plain plate with Alpha lever and LED	LA712LEDS	246.00


Briton 9365 Series - narrow mortice lock

Features: Battery operated narrow stile electronic keypad combined with a Legge 995 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection.

Door thickness: 35mm to 50mm standard, 51mm to 65mm optional.

Backset: 30mm standard, 38mm optional.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish		Price
	SCP		
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock and 5306 internal furniture with Alpha lever	BNT-9365-SCP		1,130.00
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock (no internal furniture)	BNT-9365X-SCP		1,030.00

Briton 9365-990 Series - mortice lock


Features: Battery operated electronic keypad combined with a Legge 991 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection.

Door thickness: 35 to 50mm standard, 51 to 65mm optional.

Backset: 60mm standard.

Fire rated: 60 minutes – refer fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish		Price
	SCP		
Briton 9365 narrow stile electronic keypad with Legge 991 mortice lock (60mm backset) and 5306 internal furniture with Alpha lever	BNT-9365-990-SCP		1,010.00

Schlage Omnia fire rated smart lock


- Access via keypad, fingerprint, key tags (x3), Schlage Breeze app or key override
- Best suited to multi-residential/apartment markets where fire rating is required
- Internal use only

Warranties	
Mechanical	2 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years

Door preparation: Refer to mortice lock instructions.

Door thickness: 35mm to 60mm.

Fire rated: Refer fire door manufacturer for approval.



Description	Finishes		Price
	MB	SNP	
Schlage Omnia Smart Lock, no mortice lock with clutching key override	SCEOMMB	SCEOMSNP	845.00
Schlage Omnia Smart Lock with Legge 991 mortice lock with clutching key override	SCEOM99MB	SCEOM99SNP	910.00

Accessories



Description	Code	Price
Schlage Omnia keypad controller	SCEOMKPC	357.00
Schlage Wi-Fi Bridge BZ100 (Compatible with Schlage Breeze/Breeze Hotel)	SCEBRZGW	242.00


Schlage CO 100 Series

Features: Battery operated manually programmable lock, standard Schlage 6-pin keyway PD cylinder, 500 PIN codes, keypad only, offline lock.

Door thickness: 41mm–51mm standard. Refer to accessories for shims to be used on doors between 35mm–41mm thick.

Fire rated: Refer to fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	SCP	Price
Keypad classroom lock with 70mm tubular latch	LOK50267	1,260.00
Keypad classroom lock complete with Legge 990 mortice lock – 60mm backset – 70mm backset	LOK50302–60	1,660.00
	LOK50302–70	1,660.00

Schlage CO 200 Series

Features: Battery operated computer programmable lock, standard Schlage 6-pin keyway PD cylinder, 2,000 users and audit trail events, keypad, proximity, offline lock with Sparta lever design.

Door thickness: 41mm–51mm standard. Refer to accessories for shims to be used on doors between 35mm–41mm thick.

Fire rated: Refer fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	SCP	Price
Keypad and proximity reader classroom lock with 70mm tubular latch	LOK50287	1,640.00
Keypad and proximity reader classroom lock complete with Legge 990 mortice lock – 60mm backset – 70mm backset	LOK50304–60	2,000.00
	LOK50304–70	2,000.00

Accessories



Description	Code	Price
HHD Kit – contains handheld device with SUS, USB cable and includes Schlage SMS software required to retrieve audit trail	LOK50290	POA
Schlage CO 100/200 exterior shim plate – 1.5mm thick	LOK50289	41.00
Schlage CO 100/200 interior shim plate – 4.5mm thick	LOK50301	157.00

Note: Schlage Utility Software (SUS) on the handheld device (HHD) manages access rights and audit trails via USB connection. Cards/tags can be programmed without HHD

Credentials


Description	Code	Price
Cards		
Schlage ISO proximity card (HID compatible)	IRG–SXF7510	11.50
Fobs		
Schlage proximity key fob (HID compatible)	IRG–SXF7610	14.00

ECO Schulte ETS Series

Features: Up to 250kg/1,600mm door leaf size, meets ADA disability standard, auto-open up to 105°, easy to program via built-in LCD display or external programmer. 230V 50/60Hz AC power source required.

Fire rated: Refer fire door manufacturer for approval.


Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish	Price
	SSS	
ECO Schulte ETS 73	ECO-ETS73-BODY	6,420.00
Regular arm – PUSH function	ECO-ETS-ARM2	545.00
Track with slide arm – PULL or PUSH function	ECO-ETS-SLIDERAIL2	545.00
ETS mounting plate recommended for ease of installation and may be required for fire door applications – refer to fire door manufacturer	ECO-ETS-MP	353.00

Note: Select either regular arm or track with slide arm, depending on opening function. It is recommended or required (fire doors) for the ETS mounting plate to be used to increase strength of mounting.

Accessories



Description	Code	Price
ECO Schulte open stop – for applications where a traditional door stop cannot be used	ECO-ETS-STOP	442.00
LCN activation sensor	LCP30197	590.00
Blank push plate actuator	LCP25136	206.00
Wheelchair logo push plate actuator	LCE24150	206.00


FSH VE1260 Series

Features: High torque motor driven drop bolt with up to 35kg pre-load/side-load tolerance with up to 1,000kg holding force.

Optional: Strike plates are available to allow for door misalignment of up to ±12mm.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked or unlocked. 1A power supply required for full pre-load capability.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	SSS	Price
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	VE1260R	1,580.00
Eco pre-load drop bolt, 30mm faceplate including 27mm strike plate (± 4mm) with square edge (Trimec ES8000 retrofit)	VE1260S	1,580.00

Accessories


Description	Code	Price
Surface mount box – for VE1260R lock with round edge	VE1260GL-FR	202.00
Surface mount box – includes strike for ±12mm door misalignment	VE1260GL-DO12	181.00

FSH HL1260 Series

Features: High torque motor driven hook lock with up to 680kg holding force for sliding door applications.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	SSS	Price
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	HL1260	1,670.00

Accessories

Description	Code	Price
Surface mount box – for HL1260 or HL1260 strike plate	HL1260-SMK	271.00


FSH FES90M-P Series Ecoline

Features: Motorised high security electric EcoStrike with up to 35kg pre-load capability and 1,370kg holding force, 10V to 30V DC, 300ma @ 12V DC at full 35kg pre-load only during locking and unlocking action, less than 15ma @ 12V DC when in the locked or unlocked state, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Optional: Extension lips available, refer to FES20 Series.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year




Description	Finish	
	SSS	Price
High security electric EcoStrike with pre-load capability, Australian footprint, monitored, 10mm lip	FES90M-P	1,100.00

FSH FES20 Series

Features: Manufactured from stainless steel, 12V to 36V DC, fail safe/fail secure, holding force up to 1,490kg, anti-tamper, SCEC approved for secure areas, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	SSS	Price
High security electric strike, Australian footprint, non-monitored, 10mm lip	FES20	455.00
High security electric strike, Australian footprint, monitored, 10mm lip	FES20M	525.00
Electric strike replacement for Harcor strike	FHC20M	525.00


Accessories

Description	Code	Price
FES20 or FES90M-P extension lip 5mm	FES20-EL05	24.00
FES20 or FES90M-P extension lip 15mm	FES20-EL15	34.50
FES20 or FES90M-P extension lip 25mm	FES20-EL25	34.50
FES20 or FES90M-P extension lip 50mm	FES20-EL50	34.50
FES20 or FES90M-P extension lip 75mm	FES20-EL75	34.50
Rebate kit for FES20 or FES90M-P Series (stainless steel)	FES20-Rebate	59.50

FSH FES10 Series

Features: ANSI footprint designed for light commercial and residential applications, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,300kg, IP56 rated (non-monitored).

Fire rated: 2 hours – refer fire door manufacturer for approval.



Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	
	SSS	Price
Electric strike, ANSI footprint, non-monitored, weather resistant IP56	FES10	210.00
Electric strike, ANSI footprint, monitored	FES10M	245.00


Accessories

Description	Code	Price
FES10 Extension lip 15mm	FES10-EL15	34.50
FES10 Extension lip 25mm	FES10-EL25	34.50
FES10 Extension lip 50mm	FES10-EL50	34.50
FES10 Extension lip 75mm	FES10-EL75	34.50

FSH FES15 Series

Features: Designed for pedestrian gate or any other light commercial and residential application where a rim mounted strike is required, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,250kg, IP56 rated (non-monitored).

Fire rated: 2 hours – refer fire door manufacturer for approval.




Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	
	SSS	Price
Electric strike, rim mounted, non-monitored, weather resistant IP56	FES15	210.00
Electric strike, rim mounted, monitored	FES15M	POA

FSH Custodial electric strikes

Features: Maximum security deadlock electric strikes, 12V or 24V DC, 500kg and 1,000kg holding force available, with monitoring for lock bolt status.



Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	
	SSS	Price
High security deadbolt strike FES112 Series	FES112-200	8,490.00


Spare Parts

Description	Code	Price
Plug kit for FES112 Series	FES112-P	POA

FSH R40 Electromagnetic door holders

Features: 12V or 24V DC, up to 25kg holding force.
Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	ALLOY	Price
Standard magnetic door holder wall mounted, 12V	R40-12	139.00
Standard magnetic door holder wall mounted, 24V	R40-24	139.00
Standard magnetic door holder wall mounted with extension, 12V	R40PCH-12	139.00
Standard magnetic door holder wall mounted with extension, 24V	R40PCH-24	POA
Standard magnetic door holder floor mounted, 12V	R40PCV-12	139.00
Standard magnetic door holder floor mounted, 24V	R40PCV-24	POA

LCN Electromagnetic door holders

Features: Heavy duty door holder with 16kg holding force, 12V/24V DC and 24V AC field selectable voltage.
Fire rated: Refer fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish	
	ALUM	Price
LCN SEM7830 Electromagnetic door holder 12V/24V - wall mounted	LCE11704	339.00
LCN SEM7820 Electromagnetic door holder 12V/24V - floor mounted	LCE11705	401.00


FSH MEM2400 Series

Features: Innovative slimline design surface mount lock, low power consumption, up to 1,000kg holding force, 12V/24V DC field selectable, full monitoring lock status sensor, door status sensor and early warning alarm, light panel.

Power consumption: 120mA @ 24V DC / 240mA @ 12V DC.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year




Description	Finish	
	ALUM	Price
MEM slimline mechanical electro magnetic lock with light panel (for outward opening doors)	MEM2400LP	428.00
MEM slimline mechanical electro magnetic lock LED (for inward opening doors) – includes L bracket and Z bracket	MEM2400LED-LZ	463.00

FSH FEM5700 Series

Features: Surface mounted 580kg holding force, 12V/24V DC field selectable, surge protection, CE/C-Tick and SCEC approved for secure areas, light panel, lock status sensor, door status sensor and anti-tamper plate with monitored models.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	ALUM	Price
Standard single non-monitored magnetic lock	FEM5700	322.00
Standard double non-monitored magnetic lock	FEM5700D	POA
Standard single monitored mag lock includes anti-tamper plate	FEM5700M	428.00
Standard double monitored mag lock includes anti-tamper plate	FEM5700DM	765.00


Accessories

Description	Code	Price
L bracket and Z bracket for double FEM5700DM monitored lock	AMZB1D-LPDSS	339.00
L bracket and Z bracket for single FEM5700M monitored lock	AMZB1-LPDSS	170.00

FSH FEM3500 Series

Features: Surface mounted 280kg holding force, 12V/24V DC field selectable, built-in varistor (MOV) surge protection, CE/C-Tick, no residual magnetism.
Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	
	ALUM	Price
Slimline standard single monitored magnetic lock including anti-tamper plate	FEM3500M	320.00
Slimline standard monitored double magnetic lock including anti-tamper plate	FEM3500DM	645.00
Slimline standard single magnetic lock, flush mount	FEM3500FM	269.00


Accessories

Description	Code	Price
L bracket and Z bracket for double FEM3500D and FEM3500DM universal	AMZB4D-LP	273.00
L bracket and Z bracket for single FEM4700FS, FEM3500 and FEM3500M universal	AMZB4-LP	137.00
FEM3500 Bolt kit for 50mm thick doors	FEM3500-MK2	POA

FSH Electromagnetic cabinet locks

Features: Compact surface mount locks for cabinet locking.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years




Description	Finish	
	ALUM	Price
Surface mount cabinet/locker electric lock, fail secure	FCL0001	138.00
Surface mount cabinet/locker electric lock, monitored, fail secure	FCL0002	228.00

FSH Electromagnetic gate locks

Features: Designed as gate locks for exterior use, IP67 rating, 12V/24V DC field selectable, holding forces from 200kg to 630kg Lock status sensor options available.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year




Description	Finish	
	ALUM	Price
Weather resistant mini single magnetic lock with stainless steel body housing, lock status sensor includes anti-tamper plate	FEM4500FS-RSW	238.00
Weather resistant slimline single magnetic gate lock with stainless steel body, lock status sensor includes anti-tamper plate	FEM4700FS-LSS	410.00
Weather resistant single magnetic gate lock with stainless steel body, lock status sensor includes anti-tamper plate	FEM5000G	615.00

Von Duprin Electrical accessories

Fire rated: Refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Code	Price
VD EPT10 Power transfer hinge SP28/ALUM	VDE11855	282.00
VD PS914 12V/24V DC 4A Universal supply – includes battery backup	VDE11940	920.00

Schlage Access control credentials

Features: Options available for most access control systems.

125kHz

Description	Code	Price
Schlage ISO proximity card (HID compatible)	IRG-SXF7510	11.50
Schlage proximity key tag (HID compatible)	IRG-SXF7610	14.00

13.56MHz

Description	Code	Price
Schlage ISO card Mifare classic	SCEEG002	2.40
Schlage key tag blue	SCEEG003	3.30