

Commercial Electronic

Electric mortice locks

E03 FSH FEL990 Series

Privacy plus lock system

E04 Legge Privacy Plus Lock System

Electronic locks

E05 Briton 9365 Series

E05 Briton 9365-990 Series

E05 Schlage Omnia

E06 Schlage CO 100 Series

E06 Schlage CO 200 Series

Power operators

E07 ECO Schulte ETS Series

ECOLock drop bolts

E08 FSH VE1260 Series

E08 FSH HL1260 Series

Electric strikes

Ecoline

E09 FSH FES90M-P Series

Standard

E09 FSH FES20 Series

E10 FSH FES10 Series

E10 FSH FES15 Series

Maximum Security

E10 FSH Custodial electric strikes

Electromagnetic door holders

E11 FSH FDH50 Series

E11 FSH FDH70 Series

E11 LCN SEM7830 Series

Electromagnetic locks

E12 FSH MEM2400 Series

E12 FSH FEM6600 Series

E13 FSH FEM4300 Series

E13 FSH Electromagnetic cabinet locks

E13 FSH Electromagnetic gate locks

Accessories


E14 Von Duprin Electrical accessories

E14 Schlage Access control credentials

FSH FEL 990 Series

Note: Cylinders are not included – refer accessories. Lock includes individual monitoring of locking bar, latch, door position, request to exit and key override.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Door type: Metal or wood
Backset: 60mm standard. 70mm, 89mm and 127mm available
Fire rated: 4 hours – refer fire door manufacturer for approval
Door thickness: 32mm to 50mm (extended spindle for up to 65mm thickness available)

Description	Finish	Price
	SSS	
Monitored 990 electric mortice lock (12-pin) 60mm backset	FEL990M	860.00
Monitored 990 electric mortice lock (12-pin) 70mm backset	FEL990M70	986.00
Monitored 990 electric mortice lock (12-pin) 89mm backset	FEL990M89	1,020.00
Monitored 990 electric mortice lock (12-pin) 127mm backset	FEL990M127	1,085.00

Note:
This lock is multi-functional with field changeable:

- Functions (vestibule or combination)
- Safety (fail safe or fail secure)
- Key override
- Handing (left hand or right hand)

Locks will be supplied in fail safe mode and in a left handed configuration.

- Includes cable, fixings and spindles.


Accessories

Description	Code	Price
Power transfer device		
300mm Lead cover	IRT881SSS	52.50
520mm Lead cover	IRT882SSS	62.50
Legge 990 cylinder – C4 keyway	Z990300/1	57.00
3.0m 12-pin cable	Z99EC3	57.50
Door position sensor (DPS) magnet	Z99EMAG	69.00
12-pin to 9-pin adaptor for Legge 990 MFE / LW3572EL	Z99EI2E	82.50
12-pin to 9-pin adaptor for Legge 990 MFEi	Z99EI2I	82.50
Extended spindle for 51mm – 60mm door thickness	Z990451	2.50
External plain plate with Alpha lever and LED	LA703LEDS	256.00
Internal plain plate with Alpha lever and LED	LA712LEDS	256.00

Legge Privacy Plus lock system

Features: Privacy Plus lock system is ideal for shared ensuites in healthcare, aged care facilities, laboratories, sound studios, darkrooms and other shared facilities. The locking control system ensures that occupants sharing an ensuite/room have access to privacy by the push of a button. Occupants push a button to obtain privacy and when leaving simply operate the door handle to reset the system to the normal state. This will ensure that others sharing the ensuite/room have access.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Controller features included as standard

Standard
 When room vacant, locks are unlocked and all furniture LEDs are green. When occupied, all external handles are locked and all furniture LEDs are red.

Secure
 When room vacant, locks are locked and all furniture LEDs are red. This eliminates inter room travel through the room, such as a shared ensuite and only allows occupant to exit via the door entered.

Air lock
 When room vacant, locks are unlocked. Upon operation of an outside lever handle the second door instantly locks so that it cannot be opened simultaneously.

Man trap
 When room vacant, locks are locked and all furniture LEDs are red. To enter the room, push an 'Unlock' switch to unlock the first door. While this door is open, the second door will remain locked and is prevented from opening simultaneously. When the first door closes, the LEDs will change to red and the system will relock until such time as an 'Unlock' switch is activated.


Privacy Plus packs

Description	Code	Price
Standard pack – includes locks, controller, switches and cables	LPPSTD-B	3,750.00
Secure pack – includes locks, controller, switches and cables	LPPSECP	4,420.00
Air lock pack – includes locks, controller, switches and cables	LPPALP	3,750.00
Man trap pack – includes locks, controller, switches and cables	LPPMTP	3,750.00
Note: All packs exclude door furniture. Recommended furniture:		
External plain plate with Alpha lever and LED	LA703LEDS	256.00
Internal plain plate with Alpha lever and LED	LA712LEDS	256.00

Briton 9365 Series - narrow mortice lock

Features: Battery operated narrow stile electronic keypad combined with a Legge 995 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection.
Door thickness: 35mm to 50mm standard, 51mm to 65mm optional.
Backset: 30mm standard, 38mm optional.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years




Description	Finish	Price
	SCP	
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock and 5306 internal furniture with Alpha lever	BNT-9365-SCP	1,180.00
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock (no internal furniture)	BNT-9365X-SCP	1,070.00

Briton 9365-990 Series - mortice lock

Features: Battery operated electronic keypad combined with a Legge 991 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection.
Door thickness: 35 to 50mm standard, 51 to 65mm optional.
Backset: 60mm standard.
Fire rated: 60 minutes – refer fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years




Description	Finish	Price
	SCP	
Briton 9365 narrow stile electronic keypad with Legge 991 mortice lock (60mm backset) and 5306 internal furniture with Alpha lever	BNT-9365-990-SCP	1,050.00

Schlage Omnia fire rated smart lock

- Access via keypad, fingerprint, key tags (x3), Schlage Breeze app or key override
- Best suited to multi-residential/apartment markets where fire rating is required
- Internal use only

Warranties	
Mechanical	2 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years

Door preparation: Refer to mortice lock instructions.
Door thickness: 35mm to 60mm.
Fire rated: Refer fire door manufacturer for approval.



Description	Finishes		Price
	MB	SNP	
Schlage Omnia Smart Lock, no mortice lock with clutching key override	SCEOMMB	SCEOMSNP	880.00
Schlage Omnia Smart Lock with Legge 991 mortice lock with clutching key override	SCEOM99MB	SCEOM99SNP	945.00

Accessories



Description	Code	Price
Schlage Omnia keypad controller	SCEOMKPC	371.00
Schlage Wi-Fi Bridge BZ100 (Compatible with Schlage Breeze/Breeze Hotel)	SCEBRZGW	248.00

Schlage CO 100 Series

Features: Battery operated manually programmable lock, standard Schlage 6-pin keyway PD cylinder, 500 PIN codes, keypad only, offline lock.

Door thickness: 41mm–51mm standard. Refer to accessories for shims to be used on doors between 35mm–41mm thick.

Fire rated: Refer to fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	Price
	SCP	
Keypad classroom lock with 70mm tubular latch	LOK50267	1,310.00
Keypad classroom lock complete with Legge 990 mortice lock – 60mm backset – 70mm backset	LOK50302–60	1,730.00
	LOK50302–70	1,730.00


Schlage CO 200 Series

Features: Battery operated computer programmable lock, standard Schlage 6-pin keyway PD cylinder, 2,000 users and audit trail events, keypad, proximity, offline lock with Sparta lever design.

Door thickness: 41mm–51mm standard. Refer to accessories for shims to be used on doors between 35mm–41mm thick.

Fire rated: Refer fire door manufacturer for approval.

Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	Price
	SCP	
Keypad and proximity reader classroom lock with 70mm tubular latch	LOK50287	1,710.00
Keypad and proximity reader classroom lock complete with Legge 990 mortice lock – 60mm backset – 70mm backset	LOK50304–60	2,080.00
	LOK50304–70	2,080.00

Accessories

Description	Code	Price
Schlage CO 100/200 exterior shim plate – 1.5mm thick	LOK50289	42.50
Schlage CO 100/200 interior shim plate – 4.5mm thick	LOK50301	163.00

Credentials


Description	Code	Price
Cards		
Schlage ISO proximity card (HID compatible)	IRG–SXF7510	12.00
Fobs		
Schlage proximity key fob (HID compatible)	IRG–SXF7610	14.50

ECO Schulte ETS Series

Features: Up to 250kg/1,600mm door leaf size, meets ADA disability standard, auto-open up to 105°, easy to program via built-in LCD display or external programmer. 230V 50/60Hz AC power source required.

Fire rated: Refer fire door manufacturer for approval.


Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish	Price
	SSS	
ECO Schulte ETS 73	ECO-ETS73-BODY	6,680.00
Regular arm – PUSH function	ECO-ETS-ARM2	565.00
Track with slide arm – PULL or PUSH function	ECO-ETS-SLIDERAIL2	565.00
ETS mounting plate recommended for ease of installation and may be required for fire door applications – refer to fire door manufacturer	ECO-ETS-MP	367.00

Note: Select either regular arm or track with slide arm, depending on opening function. It is recommended or required (fire doors) for the ETS mounting plate to be used to increase strength of mounting.

Accessories



Description	Code	Price
ECO Schulte open stop – for applications where a traditional door stop cannot be used	ECO-ETS-STOP	460.00
LCN activation sensor	LCP30197	615.00
Blank push plate actuator	LCP25136	214.00
Wheelchair logo push plate actuator	LCE24150	214.00


FSH VE1260 Series

Features: High torque motor driven drop bolt with up to 35kg pre-load/side-load tolerance with up to 1,000kg holding force.

Optional: Strike plates are available to allow for door misalignment of up to ±12mm.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked or unlocked. 1A power supply required for full pre-load capability.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	Price
	SSS	
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	FSHVE1260R	1,640.00
Eco pre-load drop bolt, 30mm faceplate including 27mm strike plate (± 4mm) with square edge (Trimec ES8000 retrofit)	FSHVE1260S	1,640.00

Accessories


Description	Code	Price
Surface mount box – for VE1260R lock with round edge	FSHVE1260GL-FR	210.00
Surface mount box – includes strike for ±12mm door misalignment	FSHVE1260GL-DO12	188.00

FSH HL1260 Series

Features: High torque motor driven hook lock with up to 680kg holding force for sliding door applications.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	Price
	SSS	
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	FSHHL1260	1,740.00

Accessories

Description	Code	Price
Surface mount box – for HL1260 or HL1260 strike plate	FSHHL1260-SMK	282.00


FSH FES90M-P Series Ecoline

Features: Motorised high security electric EcoStrike with up to 35kg pre-load capability and 1,370kg holding force, 10V to 30V DC, 300ma @ 12V DC at full 35kg pre-load only during locking and unlocking action, less than 15ma @ 12V DC when in the locked or unlocked state, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Optional: Extension lips available, refer to FES20 Series.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year




Description	Finish	Price
	SSS	
High security electric EcoStrike with pre-load capability, Australian footprint, monitored, 10mm lip	FSHFES90M-P	1,140.00

FSH FES20 Series

Features: Manufactured from stainless steel, 12V to 36V DC, fail safe/fail secure, holding force up to 1,490kg, anti-tamper, SCEC approved for secure areas, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Finish	Price
	SSS	
High security electric strike, Australian footprint, non-monitored, 10mm lip	FSHFES20	473.00
High security electric strike, Australian footprint, monitored, 10mm lip	FSHFES20M	545.00

Accessories

Description	Code	Price
FES20 or FES90M-P extension lip 5mm	FSHFES20-EL05	25.00
FES20 or FES90M-P extension lip 15mm	FSHFES20-EL15	36.00
FES20 or FES90M-P extension lip 25mm	FSHFES20-EL25	36.00
FES20 or FES90M-P extension lip 50mm	FSHFES20-EL50	36.00
FES20 or FES90M-P extension lip 75mm	FSHFES20-EL75	36.00

FSH FES10 Series

Features: ANSI footprint designed for light commercial and residential applications, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,300kg, IP56 rated (non-monitored).
Fire rated: 2 hours – refer fire door manufacturer for approval.



Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year


Description	Finish	Price
	SSS	
Electric strike, ANSI footprint, non-monitored, weather resistant IP56	FSHFES10	218.00
Electric strike, ANSI footprint, monitored	FSHFES10M	255.00

Accessories

Description	Code	Price
FES10 Extension lip 15mm	FSHFES10-EL15	36.00
FES10 Extension lip 25mm	FSHFES10-EL25	36.00
FES10 Extension lip 50mm	FSHFES10-EL50	36.00
FES10 Extension lip 75mm	FSHFES10-EL75	36.00

FSH FES15 Series

Features: Designed for pedestrian gate or any other light commercial and residential application where a rim mounted strike is required, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,250kg, IP56 rated (non-monitored).
Fire rated: 2 hours – refer fire door manufacturer for approval.




Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	Price
	SSS	
Electric strike, rim mounted, non-monitored, weather resistant IP56	FSHFES15	218.00
Electric strike, rim mounted, monitored	FSHFES15M	323.00

FSH Custodial electric strikes

Features: Maximum security deadlock electric strikes, 12V or 24V DC, 500kg and 1,000kg holding force available, with monitoring for lock bolt status.




Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	Price
	SSS	
High security deadbolt strike FES112 Series	FSHFES112-200	8,830.00

FSH FDH50 Series

Features: 12V/24V DC field selectable, up to 45kg holding force.
Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years




Description	Finish	Price
	ALLOY	
Electromagnetic door holder floor or wall mounted, suits most swing doors	FSHFDH50	186.00

FSH FDH70 Series

Features: 12V or 24V DC, up to 75kg holding force.
Fire rated: 2 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	2 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years




Description	Finish	Price
	ALLOY	
Electromagnetic door holder wall mounted, suits most swing doors	FSHFDH70	145.00

LCN SEM7830 Series

Features: Heavy duty door holder with 16kg holding force, 12V/24V DC and 24V AC field selectable voltage.
Fire rated: Refer fire door manufacturer for approval.


Warranties	
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



Description	Finish	Price
	ALUM	
LCN SEM7830 Electromagnetic door holder 12V/24V – wall mounted	LCE11704	353.00
LCN SEM7820 Electromagnetic door holder 12V/24V – floor mounted	LCE11705	417.00

FSH MEM2400 Series

Features: Innovative slimline design surface mount lock, low power consumption, up to 1,000kg holding force, 12V/24V DC field selectable, full monitoring lock status sensor, door status sensor and early warning alarm, light panel.
Power consumption: 120mA @ 24V DC / 240mA @ 12V DC.
Fire rated: 4 hours – refer fire door manufacturer for approval.




Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year

Description	Finish	Price
	ALUM	
MEM slimline mechanical electro magnetic lock with light panel (for outward opening doors)	FSHMEM2400LP	445.00
MEM slimline mechanical electro magnetic lock LED (for inward opening doors) – includes L bracket and Z bracket	FSHMEM2400LED-LZ	482.00

FSH FEM6600 Series

Features: Surface mounted 580kg holding force, 12V/24V DC field selectable. The monitored models include LED indicator, Lock Status Sensor (LSS), Door Status Sensor (DSS) and anti-tamper plate (indoor, dry use only).
Fire rated: 2 hours – refer fire door manufacturer for approval.



Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years

Description	Finish	Price
	ALUM	
Standard single non-monitored magnetic lock Standard double non-monitored magnetic lock	FSHFEM6600	335.00
	FSHFEM6600D	665.00
Single magnetic lock, monitored, 12/24V DC, LED, LSS, DSS, anti-tamper	FSHFEM6600M	445.00
Double magnetic lock, monitored, 12/24V DC, LED, LSS, DSS, anti-tamper	FSHFEM6600DM	795.00


Accessories

Description	Code	Price
L & Z bracket for single maglock FEM6600M monitored	FSHAMZB6600	177.00
L & Z bracket for double maglock FEM6600DM monitored	FSHAMZB6600D	353.00

FSH FEM4300 Series

Features: Surface mounted 280kg holding force, 12V/24V DC field selectable. The monitored models include LED indicator, Lock Status Sensor (LSS), Door Status Sensor (DSS) and anti-tamper plate (indoor, dry use only).
Fire rated: 2 hours – refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years



Description	Finishes		Price
	ALUM	BLACK	
Slimline single magnetic lock, non-monitored, 12/24V DC	FSHFEM4300		275.00
Slimline double magnetic lock, non-monitored, 12/24V DC	FSHFEM4300D		550.00
Slimline single magnetic lock, monitored, 12/24V DC, LED, LSS, DSS, anti-tamper	FSHFEM4300M		325.00
		FSHFEM4300M-BLK	338.00
Slimline double magnetic lock, monitored, 12/24V DC, LED, LSS, DSS, anti-tamper	FSHFEM4300DM		650.00
		FSHFEM4300DM-BLK	675.00


Accessories

Description	Finishes		Price
	ALUM	BLACK	
L & Z bracket for single maglock FEM4300M monitored	FSHAMZB4300		142.00
		FSHAMZB4300-BLK	152.00
L & Z bracket for double maglock FEM4300DM monitored	FSHAMZB4300D		284.00
		FSHAMZB4300D-BLK	299.00

FSH Electromagnetic cabinet locks

Features: Compact surface mount locks for cabinet locking.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years




Description	Finish	Price
	ALUM	
Surface mount cabinet/locker electric lock, fail secure	FSHFCL0001	144.00
Surface mount cabinet/locker electric lock, monitored, fail secure	FSHFCL0002	237.00

FSH Electromagnetic gate locks

Features: Designed as gate locks for exterior use, IP68 rating, 12V/24V DC field selectable, Lock Status Sensor (LSS) options available.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	5 years



Description	Finish	Price
	ALUM	
Weather resistant single magnetic lock 290kg holding force with stainless steel body housing, Lock Status Sensor (LSS) includes anti-tamper plate	FSHFEM2700WM	420.00
Weather resistant single magnetic lock 570kg holding force with stainless steel body housing, Lock Status Sensor (LSS) includes anti-tamper plate	FSHFEM5400WM	550.00

Von Duprin Electrical accessories

Fire rated: Refer fire door manufacturer for approval.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Description	Code	Price
VD EPT10 Power transfer hinge SP28/ALUM	VDE11855	293.00
VD PS914 12V/24V DC 4A Universal supply – includes battery backup	VDE11940	955.00

Schlage Access control credentials

Features: Options available for most access control systems.

125kHz

Description	Code	Price
Schlage ISO proximity card (HID compatible)	IRG-SXF7510	12.00
Schlage proximity key tag (HID compatible)	IRG-SXF7610	14.50

13.56MHz

Description	Code	Price
Schlage ISO card Mifare classic	SCEEG002	2.50
Schlage key tag blue	SCEEG003	3.40