

500 Series Anti-hang



The Legge commercial range of anti-hang door furniture has been designed for use on commercial applications, specifically interior and exterior doors for institutional buildings.

Features

- Constructed of quality components, with forged brass anti-ligature knobs and plates
- Supplied as standard with triwing security screws
- Suitable for doors 35mm to 50mm
- Suitable for use on fire door assemblies when used with fire rated locks and latches



| Warranties | | |
|------------|---------------------------------|--|
| Mechanical | 30 years | |
| Finish | allegion.co.nz/finisheswarranty | |



Specification guide

Function

refer following pages

Finish

| Chrome plate | C |
|--------------------|-------|
| Polished brass | P |
| Satin chrome plate | S |

1. Function

2. Finish

Finishes















Antique Bronze

Chrome Plate

Oil Rubbed Bronze

Polished Brass/ Unlacquered

Satin Chrome Plate

Satin Black Chrome

Satin Brass/ Unlacquered

SB/SBU

Specifications

| Door type | Timber or metal |
|---------------------------|--|
| Door thickness | 35mm to 60mm |
| Fixing centres | 147.5mm |
| Plate height | 168mm |
| Plate width | 48mm |
| Plate thickness | 11mm |
| Lever to cylinder centres | 63.5mm |
| Spindle size | 7.6mm |
| Compatible locks/latches | Legge 990MF Series mortice locks |
| Fixing | Back to back, external plates concealed fixing, screws supplied with exterior plates only, screw length 75mm, optional extended scew 100mm |
| Materials | Forged brass |

Plate Functions

External plates



502AH*



*Not anti-ligature compliant



503AH



504AH*

*Not anti-ligature compliant

Internal plates



511AH*

*Not anti-ligature compliant



514AH

Testing and Compliance



Fire Rating:

Successfully tested on fire door assemblies in accordance with AS1905 Part1: Fire resistance doorsets. Check with fire door manufacturer prior to installation.

Note: Supplied with triwing security screws.


512AH



Legge 500 Series Anti-hang plates

502AH - External plate with cylinder hole*


511AH - Internal plate with cylinder hole*



168mm


504AH - External plate with emergency release *

514AH - Internal plate with turn



503AH - External plain plate





*Not anti-ligature compliant

Legge 500 Series spare parts



